

# Surds

# Things you need to learn to do

- Simplify surds.
- Rationalize denominator/numerator.

# Simplifying surds

In mathematics which of the following  $3\sqrt{2}$  or  $\sqrt{18}$  is simpler depends on the context.

# Simplifying surds

In mathematics which of the following  $3\sqrt{2}$  or  $\sqrt{18}$  is simpler depends on the context. You need to be able to change from one form to the other quickly.

## Simplifying surds

If we have an expression like  $3\sqrt{2}$  and we want to move the 3 under the square root sign we simply make sure to adjust its power. For example:

- $3\sqrt{2} = \sqrt{3^2 \times 2} = \sqrt{18},$

# Simplifying surds

If we have an expression like  $3\sqrt{2}$  and we want to move the 3 under the square root sign we simply make sure to adjust its power. For example:

- $3\sqrt{2} = \sqrt{3^2 \times 2} = \sqrt{18},$
- $3\sqrt[3]{2} = \sqrt[3]{3^3 \times 2} = \sqrt[3]{54},$

# Simplifying surds

If we have an expression like  $3\sqrt{2}$  and we want to move the 3 under the square root sign we simply make sure to adjust its power. For example:

- $3\sqrt{2} = \sqrt{3^2 \times 2} = \sqrt{18},$
- $3\sqrt[3]{2} = \sqrt[3]{3^3 \times 2} = \sqrt[3]{54},$
- $3\sqrt[4]{2} = \sqrt[4]{3^4 \times 2} = \sqrt[4]{162},$

# Simplifying surds

If we have an expression like  $3\sqrt{2}$  and we want to move the 3 under the square root sign we simply make sure to adjust its power. For example:

- $3\sqrt{2} = \sqrt{3^2 \times 2} = \sqrt{18},$
- $3\sqrt[3]{2} = \sqrt[3]{3^3 \times 2} = \sqrt[3]{54},$
- $3\sqrt[4]{2} = \sqrt[4]{3^4 \times 2} = \sqrt[4]{162},$
- $3\sqrt[5]{2} = \sqrt[5]{3^5 \times 2} = \sqrt[5]{486}.$



# Simplifying surds

Some practice:

- $2\sqrt{3} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$
- $4\sqrt{2} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$
- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$
- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$
- $3\sqrt{5} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} = \sqrt{4^2 \times 3} = \sqrt{48},$



# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} = \sqrt{4^2 \times 3} = \sqrt{48},$

- $3\sqrt{3} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} = \sqrt{4^2 \times 3} = \sqrt{48},$

- $3\sqrt{3} = \sqrt{3^2 \times 3} = \sqrt{27},$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} = \sqrt{4^2 \times 3} = \sqrt{48},$

- $3\sqrt{3} = \sqrt{3^2 \times 3} = \sqrt{27},$

- $5\sqrt{2} =$

# Simplifying surds

Some practice:

- $2\sqrt{3} = \sqrt{2^2 \times 3} = \sqrt{12},$

- $4\sqrt{2} = \sqrt{4^2 \times 2} = \sqrt{32},$

- $3\sqrt{5} = \sqrt{3^2 \times 5} = \sqrt{45},$

- $4\sqrt{3} = \sqrt{4^2 \times 3} = \sqrt{48},$

- $3\sqrt{3} = \sqrt{3^2 \times 3} = \sqrt{27},$

- $5\sqrt{2} = \sqrt{5^2 \times 2} = \sqrt{50}.$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} =$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} =$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$



# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$
- $3\sqrt[4]{5} =$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$
- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$
- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$
- $2\sqrt[4]{2} =$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$

- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$

- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$

- $2\sqrt[4]{2} = \sqrt[4]{2^4 \times 2} = \sqrt[4]{32},$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$
- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$
- $2\sqrt[4]{2} = \sqrt[4]{2^4 \times 2} = \sqrt[4]{32},$
- $2\sqrt[5]{5} =$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$

- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$

- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$

- $2\sqrt[4]{2} = \sqrt[4]{2^4 \times 2} = \sqrt[4]{32},$

- $2\sqrt[5]{5} = \sqrt[5]{2^5 \times 5} = \sqrt[5]{160},$

# Simplifying surds

Some more practice:

- $2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$
- $4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$
- $3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$
- $2\sqrt[4]{2} = \sqrt[4]{2^4 \times 2} = \sqrt[4]{32},$
- $2\sqrt[5]{5} = \sqrt[5]{2^5 \times 5} = \sqrt[5]{160},$
- $3\sqrt[5]{3} =$

# Simplifying surds

Some more practice:

$$\bullet 2\sqrt[3]{3} = \sqrt[3]{2^3 \times 3} = \sqrt[3]{24},$$

$$\bullet 4\sqrt[3]{2} = \sqrt[3]{4^3 \times 2} = \sqrt[3]{128},$$

$$\bullet 3\sqrt[4]{5} = \sqrt[4]{3^4 \times 5} = \sqrt[4]{405},$$

$$\bullet 2\sqrt[4]{2} = \sqrt[4]{2^4 \times 2} = \sqrt[4]{32},$$

$$\bullet 2\sqrt[5]{5} = \sqrt[5]{2^5 \times 5} = \sqrt[5]{160},$$

$$\bullet 3\sqrt[5]{3} = \sqrt[5]{3^5 \times 3} = \sqrt[5]{729}.$$



## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3},$

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3},$
- $\sqrt{72} = \sqrt{36 \times 2} = \sqrt{36} \times \sqrt{2} = 6\sqrt{2},$

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3},$
- $\sqrt{72} = \sqrt{36 \times 2} = \sqrt{36} \times \sqrt{2} = 6\sqrt{2},$
- $\sqrt[3]{16} = \sqrt[3]{8 \times 2} = \sqrt[3]{8} \times \sqrt[3]{2} = 2\sqrt[3]{2},$

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3},$
- $\sqrt{72} = \sqrt{36 \times 2} = \sqrt{36} \times \sqrt{2} = 6\sqrt{2},$
- $\sqrt[3]{16} = \sqrt[3]{8 \times 2} = \sqrt[3]{8} \times \sqrt[3]{2} = 2\sqrt[3]{2},$
- $\sqrt[3]{108} = \sqrt[3]{27 \times 4} = \sqrt[3]{27} \times \sqrt[3]{4} = 3\sqrt[3]{4}.$

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3}$ ,
- $\sqrt{72} = \sqrt{36 \times 2} = \sqrt{36} \times \sqrt{2} = 6\sqrt{2}$ ,
- $\sqrt[3]{16} = \sqrt[3]{8 \times 2} = \sqrt[3]{8} \times \sqrt[3]{2} = 2\sqrt[3]{2}$ ,
- $\sqrt[3]{108} = \sqrt[3]{27 \times 4} = \sqrt[3]{27} \times \sqrt[3]{4} = 3\sqrt[3]{4}$ .

The point is that if we are dealing with square roots  $\sqrt{\quad}$  we want to express the number as a product of a square number (4,9,16,25,...) times something,

## Simplifying surds

Of course if we want to go in the opposite direction (as is often the case) we do the exact opposite.

- $\sqrt{75} = \sqrt{25 \times 3} = \sqrt{25} \times \sqrt{3} = 5\sqrt{3}$ ,
- $\sqrt{72} = \sqrt{36 \times 2} = \sqrt{36} \times \sqrt{2} = 6\sqrt{2}$ ,
- $\sqrt[3]{16} = \sqrt[3]{8 \times 2} = \sqrt[3]{8} \times \sqrt[3]{2} = 2\sqrt[3]{2}$ ,
- $\sqrt[3]{108} = \sqrt[3]{27 \times 4} = \sqrt[3]{27} \times \sqrt[3]{4} = 3\sqrt[3]{4}$ .

The point is that if we are dealing with square roots  $\sqrt{\quad}$  we want to express the number as a product of a square number (4,9,16,25,...) times something, if we're dealing with a cube root  $\sqrt[3]{\quad}$  we want a cube number (8,27,64,125,...) times something, etc.

# Simplifying surds

Practice:

- $\sqrt{32} =$



# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2}$ ,
- $\sqrt{162} =$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} =$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} =$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} = \sqrt{9 \times 7} = 3\sqrt{7},$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} = \sqrt{9 \times 7} = 3\sqrt{7},$
- $\sqrt{80} =$



# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} = \sqrt{9 \times 7} = 3\sqrt{7},$
- $\sqrt{80} = \sqrt{16 \times 5} = 4\sqrt{5},$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} = \sqrt{9 \times 7} = 3\sqrt{7},$
- $\sqrt{80} = \sqrt{16 \times 5} = 4\sqrt{5},$
- $\sqrt{125} =$

# Simplifying surds

Practice:

- $\sqrt{32} = \sqrt{16 \times 2} = 4\sqrt{2},$
- $\sqrt{162} = \sqrt{81 \times 2} = 9\sqrt{2},$
- $\sqrt{147} = \sqrt{49 \times 3} = 7\sqrt{3},$
- $\sqrt{63} = \sqrt{9 \times 7} = 3\sqrt{7},$
- $\sqrt{80} = \sqrt{16 \times 5} = 4\sqrt{5},$
- $\sqrt{125} = \sqrt{25 \times 5} = 5\sqrt{5}.$

# Simplifying surds

More practice:

- $\sqrt[3]{32} =$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} =$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} =$



# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} =$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} = \sqrt[3]{8 \times 7} = 2\sqrt[3]{7},$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} = \sqrt[3]{8 \times 7} = 2\sqrt[3]{7},$
- $\sqrt[4]{162} =$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} = \sqrt[3]{8 \times 7} = 2\sqrt[3]{7},$
- $\sqrt[4]{162} = \sqrt[4]{81 \times 2} = 3\sqrt[4]{2},$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} = \sqrt[3]{8 \times 7} = 2\sqrt[3]{7},$
- $\sqrt[4]{162} = \sqrt[4]{81 \times 2} = 3\sqrt[4]{2},$
- $\sqrt[4]{80} =$

# Simplifying surds

More practice:

- $\sqrt[3]{32} = \sqrt[3]{8 \times 4} = 2\sqrt[3]{4},$
- $\sqrt[3]{81} = \sqrt[3]{27 \times 3} = 3\sqrt[3]{3},$
- $\sqrt[3]{250} = \sqrt[3]{125 \times 2} = 5\sqrt[3]{2},$
- $\sqrt[3]{56} = \sqrt[3]{8 \times 7} = 2\sqrt[3]{7},$
- $\sqrt[4]{162} = \sqrt[4]{81 \times 2} = 3\sqrt[4]{2},$
- $\sqrt[4]{80} = \sqrt[4]{16 \times 2} = 2\sqrt[4]{5}.$

# Rationalizing

Sometimes we may want to have a rational number in a denominator/numerator.



# Rationalizing

Sometimes we may want to have a rational number in a denominator/numerator. We start with a number like  $\frac{5}{\sqrt{2}}$  and we don't want the irrational number in the denominator.

# Rationalizing

Sometimes we may want to have a rational number in a denominator/numerator. We start with a number like  $\frac{5}{\sqrt{2}}$  and we don't want the irrational number in the denominator. The trick here is to multiply this number by 1 (we can't multiply by anything else as it would change the number), but 1 written in the form  $\frac{\sqrt{2}}{\sqrt{2}}$ :

# Rationalizing

Sometimes we may want to have a rational number in a denominator/numerator. We start with a number like  $\frac{5}{\sqrt{2}}$  and we don't want the irrational number in the denominator. The trick here is to multiply this number by 1 (we can't multiply by anything else as it would change the number), but 1 written in the form  $\frac{\sqrt{2}}{\sqrt{2}}$ :

$$\frac{5}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{5 \times \sqrt{2}}{\sqrt{2} \times \sqrt{2}} = \frac{5\sqrt{2}}{2}$$

# Rationalizing

Sometimes we may want to have a rational number in a denominator/numerator. We start with a number like  $\frac{5}{\sqrt{2}}$  and we don't want the irrational number in the denominator. The trick here is to multiply this number by 1 (we can't multiply by anything else as it would change the number), but 1 written in the form  $\frac{\sqrt{2}}{\sqrt{2}}$ :

$$\frac{5}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{5 \times \sqrt{2}}{\sqrt{2} \times \sqrt{2}} = \frac{5\sqrt{2}}{2}$$

And we no longer have an irrational number in the denominator.

# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} =$

# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} =$

# Rationalizing

Examples:

- $$\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$

- $\frac{2}{\sqrt{5}} =$



# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$

- $\frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} =$

# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$

- $\frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$

# Rationalizing

Examples:

- $\frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$

- $\frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$

- $\frac{6}{\sqrt{3}} =$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} =$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} =$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} = \frac{10}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} =$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} = \frac{10}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{10\sqrt{2}}{2} = 5\sqrt{2},$$



# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} = \frac{10}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{10\sqrt{2}}{2} = 5\sqrt{2},$$

$$\bullet \frac{8}{\sqrt{6}} =$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} = \frac{10}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{10\sqrt{2}}{2} = 5\sqrt{2},$$

$$\bullet \frac{8}{\sqrt{6}} = \frac{8}{\sqrt{6}} \times \frac{\sqrt{6}}{\sqrt{6}} =$$

# Rationalizing

Examples:

$$\bullet \frac{4}{\sqrt{3}} = \frac{4}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{4\sqrt{3}}{3},$$

$$\bullet \frac{2}{\sqrt{5}} = \frac{2}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{2\sqrt{5}}{5},$$

$$\bullet \frac{6}{\sqrt{3}} = \frac{6}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{6\sqrt{3}}{3} = 2\sqrt{3},$$

$$\bullet \frac{10}{\sqrt{2}} = \frac{10}{\sqrt{2}} \times \frac{\sqrt{2}}{\sqrt{2}} = \frac{10\sqrt{2}}{2} = 5\sqrt{2},$$

$$\bullet \frac{8}{\sqrt{6}} = \frac{8}{\sqrt{6}} \times \frac{\sqrt{6}}{\sqrt{6}} = \frac{8\sqrt{6}}{6} = \frac{4\sqrt{6}}{3}.$$

## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ .

## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ . Here multiplying by  $\frac{\sqrt{3}}{\sqrt{3}}$  doesn't help:

## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ . Here multiplying by  $\frac{\sqrt{3}}{\sqrt{3}}$  doesn't help:

$$\frac{1}{\sqrt{3}-1} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{3-\sqrt{3}}$$

it's even worse now!

## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ . Here multiplying by  $\frac{\sqrt{3}}{\sqrt{3}}$  doesn't help:

$$\frac{1}{\sqrt{3}-1} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{3-\sqrt{3}}$$

it's even worse now! What we want to do is to make use of the formula  $(a-b)(a+b) = a^2 - b^2$ .

## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ . Here multiplying by  $\frac{\sqrt{3}}{\sqrt{3}}$  doesn't help:

$$\frac{1}{\sqrt{3}-1} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{3-\sqrt{3}}$$

it's even worse now! What we want to do is to make use of the formula  $(a-b)(a+b) = a^2 - b^2$ . We have  $\sqrt{3}-1$  in the denominator so we want to multiply it by  $\sqrt{3}+1$  to use the formula:



## Rationalizing

Now consider a harder example. Suppose we want to rationalize the denominator in the expression  $\frac{1}{\sqrt{3}-1}$ . Here multiplying by  $\frac{\sqrt{3}}{\sqrt{3}}$  doesn't help:

$$\frac{1}{\sqrt{3}-1} \times \frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{3-\sqrt{3}}$$

it's even worse now! What we want to do is to make use of the formula  $(a-b)(a+b) = a^2 - b^2$ . We have  $\sqrt{3}-1$  in the denominator so we want to multiply it by  $\sqrt{3}+1$  to use the formula:

$$\frac{1}{\sqrt{3}-1} \times \frac{\sqrt{3}+1}{\sqrt{3}+1} = \frac{\sqrt{3}+1}{(\sqrt{3}-1)(\sqrt{3}+1)} = \frac{\sqrt{3}+1}{3-1} = \frac{\sqrt{3}+1}{2}$$

# Rationalizing

Examples:

- $\frac{2}{\sqrt{2}-1} =$

# Rationalizing

Examples:

- $$\frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} =$$

# Rationalizing

Examples:

- $$\frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

# Rationalizing

Examples:

- $\frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$

- $\frac{3}{\sqrt{5}-2} =$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} =$$



# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} = \frac{4}{\sqrt{2}-3} \times \frac{\sqrt{2}+3}{\sqrt{2}+3} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} = \frac{4}{\sqrt{2}-3} \times \frac{\sqrt{2}+3}{\sqrt{2}+3} = \frac{4\sqrt{2}+12}{2-9} = -\frac{4\sqrt{2}+12}{7},$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} = \frac{4}{\sqrt{2}-3} \times \frac{\sqrt{2}+3}{\sqrt{2}+3} = \frac{4\sqrt{2}+12}{2-9} = -\frac{4\sqrt{2}+12}{7},$$

$$\bullet \frac{3}{\sqrt{2}-2} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} = \frac{4}{\sqrt{2}-3} \times \frac{\sqrt{2}+3}{\sqrt{2}+3} = \frac{4\sqrt{2}+12}{2-9} = -\frac{4\sqrt{2}+12}{7},$$

$$\bullet \frac{3}{\sqrt{2}-2} = \frac{3}{\sqrt{2}-2} \times \frac{\sqrt{2}+2}{\sqrt{2}+2} =$$

# Rationalizing

Examples:

$$\bullet \frac{2}{\sqrt{2}-1} = \frac{2}{\sqrt{2}-1} \times \frac{\sqrt{2}+1}{\sqrt{2}+1} = \frac{2\sqrt{2}+2}{2-1} = 2\sqrt{2}+2,$$

$$\bullet \frac{3}{\sqrt{5}-2} = \frac{3}{\sqrt{5}-2} \times \frac{\sqrt{5}+2}{\sqrt{5}+2} = \frac{3\sqrt{5}+6}{5-4} = 3\sqrt{5}+6,$$

$$\bullet \frac{4}{3-\sqrt{3}} = \frac{4}{3-\sqrt{3}} \times \frac{3+\sqrt{3}}{3+\sqrt{3}} = \frac{12+4\sqrt{3}}{9-3} = \frac{6+2\sqrt{3}}{3},$$

$$\bullet \frac{4}{\sqrt{2}-3} = \frac{4}{\sqrt{2}-3} \times \frac{\sqrt{2}+3}{\sqrt{2}+3} = \frac{4\sqrt{2}+12}{2-9} = -\frac{4\sqrt{2}+12}{7},$$

$$\bullet \frac{3}{\sqrt{2}-2} = \frac{3}{\sqrt{2}-2} \times \frac{\sqrt{2}+2}{\sqrt{2}+2} = \frac{3\sqrt{2}+6}{2-4} = -\frac{3\sqrt{2}+6}{2}.$$



# Rationalizing

More examples:

- $\frac{5}{\sqrt{3} + 1} =$

# Rationalizing

More examples:

- $$\frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} =$$

# Rationalizing

More examples:

- $$\frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} =$$

# Rationalizing

More examples:

- $\frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$
- $\frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} =$$



# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} = \frac{2}{\sqrt{3}-\sqrt{2}} \times \frac{\sqrt{3}+\sqrt{2}}{\sqrt{3}+\sqrt{2}} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} = \frac{2}{\sqrt{3}-\sqrt{2}} \times \frac{\sqrt{3}+\sqrt{2}}{\sqrt{3}+\sqrt{2}} = \frac{2\sqrt{3}+2\sqrt{2}}{3-2} = 2\sqrt{3}+2\sqrt{2},$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} = \frac{2}{\sqrt{3}-\sqrt{2}} \times \frac{\sqrt{3}+\sqrt{2}}{\sqrt{3}+\sqrt{2}} = \frac{2\sqrt{3}+2\sqrt{2}}{3-2} = 2\sqrt{3}+2\sqrt{2},$$

$$\bullet \frac{4}{\sqrt{5}-\sqrt{3}} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} = \frac{2}{\sqrt{3}-\sqrt{2}} \times \frac{\sqrt{3}+\sqrt{2}}{\sqrt{3}+\sqrt{2}} = \frac{2\sqrt{3}+2\sqrt{2}}{3-2} = 2\sqrt{3}+2\sqrt{2},$$

$$\bullet \frac{4}{\sqrt{5}-\sqrt{3}} = \frac{4}{\sqrt{5}-\sqrt{3}} \times \frac{\sqrt{5}+\sqrt{3}}{\sqrt{5}+\sqrt{3}} =$$

# Rationalizing

More examples:

$$\bullet \frac{5}{\sqrt{3}+1} = \frac{5}{\sqrt{3}+1} \times \frac{\sqrt{3}-1}{\sqrt{3}-1} = \frac{5\sqrt{3}-5}{3-1} = \frac{5\sqrt{3}-5}{2},$$

$$\bullet \frac{2}{\sqrt{5}+1} = \frac{2}{\sqrt{5}+1} \times \frac{\sqrt{5}-1}{\sqrt{5}-1} = \frac{2\sqrt{5}-2}{5-1} = \frac{\sqrt{5}-1}{2},$$

$$\bullet \frac{3}{3+\sqrt{2}} = \frac{3}{3+\sqrt{2}} \times \frac{3-\sqrt{2}}{3-\sqrt{2}} = \frac{9-3\sqrt{2}}{9-2} = \frac{9-3\sqrt{2}}{7},$$

$$\bullet \frac{2}{\sqrt{3}-\sqrt{2}} = \frac{2}{\sqrt{3}-\sqrt{2}} \times \frac{\sqrt{3}+\sqrt{2}}{\sqrt{3}+\sqrt{2}} = \frac{2\sqrt{3}+2\sqrt{2}}{3-2} = 2\sqrt{3}+2\sqrt{2},$$

$$\bullet \frac{4}{\sqrt{5}-\sqrt{3}} = \frac{4}{\sqrt{5}-\sqrt{3}} \times \frac{\sqrt{5}+\sqrt{3}}{\sqrt{5}+\sqrt{3}} = \frac{4\sqrt{5}+4\sqrt{3}}{5-3} = 2\sqrt{5}+2\sqrt{3}.$$

The short test at the beginning of the next class will consist simplifying expressions with roots and rationalizing the denominator.



If you have any questions or doubts email me at [T.J.Lechowski@gmail.com](mailto:T.J.Lechowski@gmail.com)