Operations on sets

		hows			

3

イロト イヨト イヨト イヨト

Things you need to learn:

The following operations on sets:

- Union of two sets: $A \cup B$;
- Intersection of two sets: $A \cap B$;
- Difference of two sets: A B;
- Complement of a given set: A'.

< A IN

Things you need to learn:

The following operations on sets:

- Union of two sets: $A \cup B$;
- Intersection of two sets: $A \cap B$;
- Difference of two sets: A B;
- Complement of a given set: A'.

Note that the union is sometimes also called the sum and the intersection is sometimes called the product.

We use the notation $a \in A$ to indicate that a is an element of A.

3

A D N A B N A B N A B N

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

3

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

The following are true statements:

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

The following are true statements:

• $A \subseteq A$ for any set A.

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

The following are true statements:

- $A \subseteq A$ for any set A.
- $\emptyset \subseteq A$ for any set A.

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

The following are true statements:

- $A \subseteq A$ for any set A.
- $\emptyset \subseteq A$ for any set A.
- If $A \subseteq B$ and $B \subseteq A$, then A = B.

< □ > < 同 > < 三 > < 三 >

We use the notation $a \in A$ to indicate that a is an element of A.

We use the notation $A \subseteq B$ to indicate that A is a subset of B, i.e. that every element of A is also an element of B.

 \emptyset denotes the empty set, the set that has no elements.

The following are true statements:

- $A \subseteq A$ for any set A.
- $\emptyset \subseteq A$ for any set A.
- If $A \subseteq B$ and $B \subseteq A$, then A = B.
- If $A \subseteq B$ and $B \subseteq C$, then $A \subseteq C$.

Note that $A \subseteq B$ is true when A = B (every element of A is in B).

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Note that $A \subseteq B$ is true when A = B (every element of A is in B). If we want to exclude this possibility we write $A \subset B$. In such case we call A a **proper subset** of B. In other words we have $A \subset B$ if $A \subseteq B$ and $A \neq B$.

Note that $A \subseteq B$ is true when A = B (every element of A is in B). If we want to exclude this possibility we write $A \subset B$. In such case we call A a **proper subset** of B. In other words we have $A \subset B$ if $A \subseteq B$ and $A \neq B$.

You may find this analogous to \leq and < operators.

イロト イポト イヨト イヨト

A union $A \cup B$ of two sets A and B is the set of all elements that belong to at least one of A or B.

3

A union $A \cup B$ of two sets A and B is the set of all elements that belong to at least one of A or B.

If $A = \{1, 2, 3\}$ and $B = \{2, 3, 4\}$, then $A \cup B = \{1, 2, 3, 4\}$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

An intersection $A \cap B$ of two sets A and B is the set of all elements that belong to both A and B.

- 20

A D N A B N A B N A B N

An intersection $A \cap B$ of two sets A and B is the set of all elements that belong to both A and B.

If
$$A = \{1, 2, 3\}$$
 and $B = \{2, 3, 4\}$, then $A \cap B = \{2, 3\}$

- 20

A D N A B N A B N A B N

Union & Intersection

Of course we have $A \cup B = B \cup A$ and $A \cap B = B \cap A$.

э

イロト イポト イヨト イヨト

Make sure you convince yourselves of the following:

3

Make sure you convince yourselves of the following:

• If $A \subseteq B$, then $A \cup B = B$;

3

Make sure you convince yourselves of the following:

- If $A \subseteq B$, then $A \cup B = B$;
- If $A \subseteq B$, then $A \cap B = A$;

3

Make sure you convince yourselves of the following:

• If
$$A \subseteq B$$
, then $A \cup B = B$;

• If
$$A \subseteq B$$
, then $A \cap B = A$;

In particular:

3

(日) (四) (日) (日) (日)

Make sure you convince yourselves of the following:

• If
$$A \subseteq B$$
, then $A \cup B = B$;

• If
$$A \subseteq B$$
, then $A \cap B = A$;

In particular:

•
$$\emptyset \cup A = A;$$

3

(日) (四) (日) (日) (日)

Make sure you convince yourselves of the following:

• If
$$A \subseteq B$$
, then $A \cup B = B$;

• If
$$A \subseteq B$$
, then $A \cap B = A$;

In particular:

- $\emptyset \cup A = A;$
- $\emptyset \cap A = \emptyset;$

< □ > < 同 > < 三 > < 三 >

A difference A - B of two sets A and B is the set of all elements that belong to A but do not belong to B.

3

A D N A B N A B N A B N

A difference A - B of two sets A and B is the set of all elements that belong to A but do not belong to B.

If $A = \{1, 2, 3\}$ and $B = \{2, 3, 4\}$, then $A - B = \{1\}$,

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □

A difference A - B of two sets A and B is the set of all elements that belong to A but do not belong to B.

If $A = \{1, 2, 3\}$ and $B = \{2, 3, 4\}$, then $A - B = \{1\}$, but $B - A = \{4\}$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Example 1

Let
$$A = \{1, 2, 3, 4, 5, 6, 7\}$$
 and $B = \{2, 4, 6, 8, 10\}$.
Find $A \cup B$, $A \cap B$, $A - B$ and $B - A$.



$A \cup B$ denotes all elements that are in at least one of A or B, so we have:

Tomasz		

4 listopada 2019 10 / 24

3

イロト イヨト イヨト イヨト



$A \cup B$ denotes all elements that are in at least one of A or B, so we have:

 $A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\}$

Tomasz		

- 20

イロト イポト イヨト イヨト



$A \cap B$ contain all elements that are in both A and B, so we have:

2

・ロト ・四ト ・ヨト ・ヨト

 $A \cap B$ contain all elements that are in both A and B, so we have:

 $A \cap B = \{2, 4, 6\}$

▲□▶ ▲圖▶ ▲ 圖▶ ▲ 圖▶ ― 圖 … のへで

 $A \cap B$ contain all elements that are in both A and B, so we have:

 $A \cap B = \{2, 4, 6\}$

Note: $1 \notin A \cap B$, since 1 does not belong to *B*. Similarly $8 \notin A \cap B$, since 8 does not belong to *A*.

イロト イポト イヨト イヨト 二日



A - B denotes the elements that are in A, but are not in B.

æ

イロト イヨト イヨト イヨト

A - B denotes the elements that are in A, but are not in B. Note that this is different from B - A. We have:

3

イロト イポト イヨト イヨト

A - B denotes the elements that are in A, but are not in B. Note that this is different from B - A. We have:

 $A - B = \{1, 3, 5, 7\}$

イロト イヨト イヨト

A - B denotes the elements that are in A, but are not in B. Note that this is different from B - A. We have:

 $A - B = \{1, 3, 5, 7\}$

Note: $2 \notin A - B$, since 2 belongs to *B*, so we excluded it. Also $9 \notin A - B$, since 9 wasn't in *A* in the first place.

B - A is difference between B and A, it's the set of all elements in B that are not in A. We have:

3

< □ > < 同 > < 回 > < 回 > < 回 >

B - A is difference between B and A, it's the set of all elements in B that are not in A. We have:

 $B - A = \{8, 10\}$

3

イロト イポト イヨト イヨト

B - A is difference between B and A, it's the set of all elements in B that are not in A. We have:

 $B - A = \{8, 10\}$

Note: $6 \notin B - A$, since 6 is in A, so we excluded it. And $9 \notin B - A$, since 9 wasn't in B.



Usually in a given problem we have a set U - the universal set, which denotes all elements that are considered for the given problem. Note that we have: $A \subseteq U$ for any set A.

イロト イポト イヨト イヨト

Complement

Usually in a given problem we have a set U - the universal set, which denotes all elements that are considered for the given problem. Note that we have: $A \subseteq U$ for any set A.

We can then define the complement of a set A, denoted A', as all element that are not in A.

< □ > < 同 > < 三 > < 三 >

Complement

Usually in a given problem we have a set U - the universal set, which denotes all elements that are considered for the given problem. Note that we have: $A \subseteq U$ for any set A.

We can then define the complement of a set A, denoted A', as all element that are not in A.

Note that A' = U - A.

< □ > < 同 > < 三 > < 三 >

Let U be the set of positive integers less than 10 and $A = \{2, 3, 5, 7\}$ and $B = \{2, 4, 6, 8\}$.

Find A', B', $A' \cap B'$.

イロト イ団ト イヨト イヨト 二日



U is our universal set, so that for the purpose of this question we only consider elements that are in U.

3

< □ > < 同 > < 回 > < 回 > < 回 >

Example 2

U is our universal set, so that for the purpose of this question we only consider elements that are in U. A' is the complement of A, so the elements that are not in A. Of course we need to take into account our universal set. We have:

Example 2

U is our universal set, so that for the purpose of this question we only consider elements that are in U. A' is the complement of A, so the elements that are not in A. Of course we need to take into account our universal set. We have:

 $A' = \{1, 4, 6, 8, 9\}$

Example 2

U is our universal set, so that for the purpose of this question we only consider elements that are in U. A' is the complement of A, so the elements that are not in A. Of course we need to take into account our universal set. We have:

$$A' = \{1, 4, 6, 8, 9\}$$

Note: $2 \notin A'$, since 2 is an element of A and in A' we want elements that are not in A. On the other hand $12 \notin A'$, since 12 does not belong to our universal set, so we don't even consider it.

A B A B A B A B A B A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A
 B
 A



B' is the complement of B, these are the elements that are not in B. We still need to remember about our universal set. We have:

< □ > < 同 > < 回 > < 回 > < 回 >



B' is the complement of B, these are the elements that are not in B. We still need to remember about our universal set. We have:

 $B' = \{1, 3, 5, 7, 9\}$

< □ > < □ > < □ > < □ > < □ > < □ >

B' is the complement of B, these are the elements that are not in B. We still need to remember about our universal set. We have:

 $B' = \{1, 3, 5, 7, 9\}$

Note: $2 \notin B'$, since 2 is in B and $12 \notin B'$, since 12 does not belong to the universal set.

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Zadanie 2

 $A' \cap B'$ is the intersection of A' and B'. We know that:

 $A' = \{1, 4, 6, 8, 9\}$ $B' = \{1, 3, 5, 7, 9\}$

3

イロト イポト イヨト イヨト

Zadanie 2

 $A' \cap B'$ is the intersection of A' and B'. We know that:

$$A' = \{1, 4, 6, 8, 9\}$$

 $B' = \{1, 3, 5, 7, 9\}$

So the intersection of the above sets is:

3

< □ > < 同 > < 回 > < 回 > < 回 >

Zadanie 2

 $A' \cap B'$ is the intersection of A' and B'. We know that:

 $A' = \{1, 4, 6, 8, 9\}$ $B' = \{1, 3, 5, 7, 9\}$

So the intersection of the above sets is: $A' \cap B' = \{1, 9\}$

3

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 >

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

Lechowski

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A \cap B$

Lechowski

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ 三臣 - のへの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A \cap B = \{3\};$

Lechowski

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$
$$B \cup C$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

 $B \cup C = \{3, 6, 7, 8, 9\};$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

 $B \cup C = \{3, 6, 7, 8, 9\};$
 $A \cap C$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

 $B \cup C = \{3, 6, 7, 8, 9\};$
 $A \cap C = \emptyset$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

$$B \cup C = \{3, 6, 7, 8, 9\};$$

$$A \cap C = \emptyset$$

$$A'$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\}; \\ B \cup C = \{3, 6, 7, 8, 9\}; \\ A \cap C = \emptyset \\ A' = \{5, 6, 7, 8, 9, 10\};$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\}; \\ B \cup C = \{3, 6, 7, 8, 9\}; \\ A \cap C = \emptyset \\ A' = \{5, 6, 7, 8, 9, 10\}; \\ A' \cup C$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

$$B \cup C = \{3, 6, 7, 8, 9\};$$

$$A \cap C = \emptyset$$

$$A' = \{5, 6, 7, 8, 9, 10\};$$

$$A' \cup C = \{5, 6, 7, 8, 9, 10\};$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\}; \\ B \cup C = \{3, 6, 7, 8, 9\}; \\ A \cap C = \emptyset \\ A' = \{5, 6, 7, 8, 9, 10\}; \\ A' \cup C = \{5, 6, 7, 8, 9, 10\}; \\ A' \cap B$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A \cap B = \{3\};$$

$$B \cup C = \{3, 6, 7, 8, 9\};$$

$$A \cap C = \emptyset$$

$$A' = \{5, 6, 7, 8, 9, 10\};$$

$$A' \cup C = \{5, 6, 7, 8, 9, 10\};$$

$$A' \cap B = \{6, 9\}$$

Exercise 1 ctd.

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Exercise 1 ctd.

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

Lechowski

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Exercise 1 ctd.

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A'\cap B'$

Tomasz	Lechowski
10111032	Lectionski

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$ $(B \cup C) \cap A$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$ $(B \cup C) \cap A = \{3\};$

▲□▶ ▲圖▶ ▲圖▶ ▲圖▶ ▲圖 ● ○○○

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$ $(B \cup C) \cap A = \{3\};$ $(A \cup C)'$

▲□▶ ▲圖▶ ▲圖▶ ▲圖▶ ▲圖 ● ○○○

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$ $(B \cup C) \cap A = \{3\};$ $(A \cup C)' = \{5, 10\}$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

 $A' \cap B' = \{5, 7, 8, 10\};$ $(B \cup C) \cap A = \{3\};$ $(A \cup C)' = \{5, 10\}$ $(A \cap B)'$

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ののの

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$A' \cap B' = \{5, 7, 8, 10\};$$

 $(B \cup C) \cap A = \{3\};$
 $(A \cup C)' = \{5, 10\}$
 $(A \cap B)' = \{1, 2, 4, 5, 6, 7, 8, 9, 10\};$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$\begin{aligned} A' \cap B' &= \{5, 7, 8, 10\};\\ (B \cup C) \cap A &= \{3\};\\ (A \cup C)' &= \{5, 10\}\\ (A \cap B)' &= \{1, 2, 4, 5, 6, 7, 8, 9, 10\};\\ (A \cup B) \cap C \end{aligned}$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$\begin{aligned} &A' \cap B' = \{5, 7, 8, 10\}; \\ &(B \cup C) \cap A = \{3\}; \\ &(A \cup C)' = \{5, 10\} \\ &(A \cap B)' = \{1, 2, 4, 5, 6, 7, 8, 9, 10\}; \\ &(A \cup B) \cap C = \{6, 9\}; \end{aligned}$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$\begin{aligned} A' \cap B' &= \{5, 7, 8, 10\};\\ (B \cup C) \cap A &= \{3\};\\ (A \cup C)' &= \{5, 10\}\\ (A \cap B)' &= \{1, 2, 4, 5, 6, 7, 8, 9, 10\};\\ (A \cup B) \cap C &= \{6, 9\};\\ (A' \cap B') \cup C' \end{aligned}$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4\}$, $B = \{3, 6, 9\}$ and $C = \{6, 7, 8, 9\}$.

Find:

$$\begin{aligned} A' \cap B' &= \{5,7,8,10\};\\ (B \cup C) \cap A &= \{3\};\\ (A \cup C)' &= \{5,10\}\\ (A \cap B)' &= \{1,2,4,5,6,7,8,9,10\};\\ (A \cup B) \cap C &= \{6,9\};\\ (A' \cap B') \cup C' &= \{1,2,3,4,5,7,8,10\} \end{aligned}$$

▲□▶ ▲圖▶ ▲圖▶ ▲圖▶ ▲圖 ● ○○○

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

▲□▶ ▲圖▶ ▲ 圖▶ ▲ 圖▶ ― 圖 … のへで

```
Let U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}, A = \{1, 2, 3, 4, 5, 6, 7\}, B = \{2, 4, 6, 8, 10\} and C = \{2, 3, 5, 7\}.
```

Find:

Lechowski

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ 三臣 - のへで

```
Let U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}, A = \{1, 2, 3, 4, 5, 6, 7\}, B = \{2, 4, 6, 8, 10\} and C = \{2, 3, 5, 7\}.
```

Find:

 $A \cup B$

Tomasz	Lechowski
10111032	Lectionski

▲□▶ ▲圖▶ ▲圖▶ ▲圖▶ ▲圖 ● ○○○

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

 $A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$

▲□▶ ▲圖▶ ▲ 圖▶ ▲ 圖▶ ― 圖 … のへで

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$
 $B - C$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$
 $B - C = \{4, 6, 8, 10\}$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$
 $B - C = \{4, 6, 8, 10\}$
 A'

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$
 $B - C = \{4, 6, 8, 10\}$
 $A' = \{8, 9, 10\};$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

 $A - C = \{1, 4, 6\};$
 $B - C = \{4, 6, 8, 10\}$
 $A' = \{8, 9, 10\};$
 C'

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$\begin{split} A \cup B &= \{1, 2, 3, 4, 5, 6, 7, 8, 10\}; \\ A - C &= \{1, 4, 6\}; \\ B - C &= \{4, 6, 8, 10\} \\ A' &= \{8, 9, 10\}; \\ C' &= \{1, 4, 6, 8, 9, 10\}; \end{split}$$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 10\};$$

$$A - C = \{1, 4, 6\};$$

$$B - C = \{4, 6, 8, 10\}$$

$$A' = \{8, 9, 10\};$$

$$C' = \{1, 4, 6, 8, 9, 10\};$$

$$A' \cup C'$$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$\begin{split} A \cup B &= \{1, 2, 3, 4, 5, 6, 7, 8, 10\};\\ A - C &= \{1, 4, 6\};\\ B - C &= \{4, 6, 8, 10\}\\ A' &= \{8, 9, 10\};\\ C' &= \{1, 4, 6, 8, 9, 10\};\\ A' \cup C' &= \{1, 4, 6, 8, 9, 10\} \end{split}$$

Let $U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

Lechowski

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

 $(A \cap B)'$

▲□▶ ▲圖▶ ▲ 圖▶ ▲ 圖▶ ― 圖 … のへで

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

 $(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$

▲□▶ ▲圖▶ ▲ 圖▶ ▲ 圖▶ ― 圖 … のへで

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C)$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$
 $(B \cap C) - A$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$
 $(B \cap C) - A = \emptyset$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$
 $(B \cap C) - A = \emptyset$
 $A - (B \cup C)$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$
 $(B \cap C) - A = \emptyset$
 $A - (B \cup C) = \{1\};$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

 $A' \cap (B \cup C) = \{8, 10\};$
 $(B \cap C) - A = \emptyset$
 $A - (B \cup C) = \{1\};$
 $C' - B'$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$,
 $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

$$A' \cap (B \cup C) = \{8, 10\};$$

$$(B \cap C) - A = \emptyset$$

$$A - (B \cup C) = \{1\};$$

$$C' - B' = \{4, 6, 8, 10\};$$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

$$A' \cap (B \cup C) = \{8, 10\};$$

$$(B \cap C) - A = \emptyset$$

$$A - (B \cup C) = \{1\};$$

$$C' - B' = \{4, 6, 8, 10\};$$

$$(A' \cup B) - C$$

Let
$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$
, $A = \{1, 2, 3, 4, 5, 6, 7\}$, $B = \{2, 4, 6, 8, 10\}$ and $C = \{2, 3, 5, 7\}$.

Find:

$$(A \cap B)' = \{1, 3, 5, 7, 8, 9, 10\};$$

$$A' \cap (B \cup C) = \{8, 10\};$$

$$(B \cap C) - A = \emptyset$$

$$A - (B \cup C) = \{1\};$$

$$C' - B' = \{4, 6, 8, 10\};$$

$$(A' \cup B) - C = \{4, 6, 8, 9, 10\}$$

The short test will be similar to the exercises above.

Tomasz		

æ

イロト イヨト イヨト イヨト

In case of any questions you can email me at T.J.Lechowski@gmail.com.

i

э

< □ > < /□ >