
Definite Integrals [113 marks]

1. The derivative of the function f is given by $f'(x)=\frac{6x}{x^2+1}$. [5 marks] The graph of y=f(x) passes through the point $(1,\ 5)$. Find an expression for f(x).

Consider the functions $f(x)=\frac{1}{x-4}+1$, for $x\neq 4$, and g(x)=x-3 for $x\in\mathbb{R}$. The following diagram shows the graphs of f and g.




The graphs of f and g intersect at points A and B. The coordinates of A are $(3,\ 0)$.

2a. Find the coordinates of \boldsymbol{B} .

[5 marks]

In the following diagram, the shaded region is enclosed by the graph of f, the graph of g, the x-axis, and the line x=k, where $k\in\mathbb{Z}$.



The area of the shaded region can be written as $\ln(p)+8$, where $p\in\mathbb{Z}.$

2b. Find the value of k and the value of p.

[10 marks]

3. Find the value of $\int_1^9 \left(\frac{3\sqrt{x}-5}{\sqrt{x}}\right) dx$.

[5 marks]

Consider $f(x) = \frac{2x-4}{x^2-1}, -1 < x < 1.$

4a. Find $f^{\prime}\left(x
ight) .$

[2 marks]

4b. Show that, if $f'\left(x\right)=0$, then $x=2-\sqrt{3}$.

[3 marks]

For the graph of y = f(x),

4c. find the coordinates of the y-intercept.

[1 mark]

4d. show that there are no x-intercepts.

[2 marks]

4e. sketch the graph, showing clearly any asymptotic behaviour.

[2 marks]


4f. Show that $\frac{3}{x+1} - \frac{1}{x-1} = \frac{2x-4}{x^2-1}$.

[2 marks]

- 5. Given that $\int_0^{\ln k} \mathrm{e}^{2x} \mathrm{d}x = 12$, find the value of k.

[6 marks]

The graph of y = f'(x), $0 \le x \le 5$ is shown in the following diagram. The curve intercepts the x-axis at (1, 0) and (4, 0) and has a local minimum at (3, -1).



6a. Write down the x-coordinate of the point of inflexion on the graph of y = f(x).

The shaded area enclosed by the curve $y=f'\left(x\right)$, the x-axis and the y-axis is 0.5. Given that $f\left(0\right)=3$,

6b. find the value of f(1).

[3 marks]

The area enclosed by the curve $y=f'\left(x\right)$ and the x-axis between x=1 and x=4 is 2.5 .


6c. find the value of f(4).

[2 marks]

6d. Sketch the curve y=f(x), $0 \le x \le 5$ indicating clearly the coordinates [3 marks] of the maximum and minimum points and any intercepts with the coordinate axes.

Consider the functions f and g defined on the domain $0 < x < 2\pi$ by $f(x) = 3\cos 2x$ and $g(x) = 4 - 11\cos x$.

The following diagram shows the graphs of $y=f\left(x\right)$ and $y=g\left(x\right)$



- 7a. Find the x-coordinates of the points of intersection of the two graphs. [6 marks]
- 7b. Find the exact area of the shaded region, giving your answer in the form [5 marks] $p\pi+q\sqrt{3}$, where $p,\,q\in\mathbb{Q}$.
- 7c. At the points A and B on the diagram, the gradients of the two graphs [6 marks] are equal.

Determine the y-coordinate of A on the graph of g.

Given that
$$\int_{-2}^{2}f\left(x
ight) \mathrm{d}x=10$$
 and $\int_{0}^{2}f\left(x
ight) \mathrm{d}x=12$, find

8a.
$$\int_{-2}^{0}\left(f\left(x
ight)\,+2
ight)\mathrm{d}x$$
.

[4 marks]

8b.
$$\int_{-2}^{0} f(x+2) dx$$
.

[2 marks]


Let
$$y = \arccos\left(\frac{x}{2}\right)$$

9a. Find
$$\frac{\mathrm{d}y}{\mathrm{d}x}$$
.

[2 marks]

Let $f(x)=x^2-x$, for $x\in\mathbb{R}.$ The following diagram shows part of the graph of f.


diagram not to scale



The graph of f crosses the x-axis at the origin and at the point $\mathrm{P}(1,0)$.

The line ${\cal L}$ intersects the graph of f at another point Q, as shown in the following diagram.

diagram not to scale



10. Find the area of the region enclosed by the graph of f and the line L. *[6 marks]*

11a. Express x^2+3x+2 in the form $(x+h)^2+k$.

[1 mark]

11b. Factorize $x^2 + 3x + 2$.

[1 mark]

Consider the function $f(x)=rac{1}{x^2+3x+2}, x\in\mathbb{R}, x
eq -2, x
eq -1.$

11c. Sketch the graph of f(x), indicating on it the equations of the asymptotes, the coordinates of the y-intercept and the local maximum.

^{11d.} Hence find the value of p if $\int_0^1 f(x) \mathrm{d}x = \ln(p)$.

[4 marks]

11e. Sketch the graph of y = f(|x|).

[2 marks]

11f. Determine the area of the region enclosed between the graph of y=f(|x|), the x-axis and the lines with equations x=-1 and x=1.

© International Baccalaureate Organization 2023
International Baccalaureate® - Baccalauréat International® - Bachillerato Internacional®



Printed for 2 SPOLECZNE LICEUM