
Calculus [109 marks]

1. [Maximum mark: 15]

The Happy Straw Company manufactures drinking straws.

The straws are packaged in small closed rectangular boxes, each with length 8 cm, width 4 cm and height 3 cm. The information is shown in the diagram.



Calculate the surface area of the box in cm^2 . (a)



Markscheme $2(8 \times 4 + 3 \times 4 + 3 \times 8)$ М1 $= 136 (cm^{2})$ A1 [2 marks]

Calculate the length AG. (b)

[2]

Markscheme $\sqrt{8^2+4^2+3^2}$ М1 $(AG =) 9.43 \text{ (cm)} (9.4339..., \sqrt{89})$ A1 [2 marks]

Each week, the Happy Straw Company sells x boxes of straws. It is known that $\frac{\mathrm{d}P}{\mathrm{d}x} = -2x + 220$, $x \ge 0$, where P is the weekly profit, in dollars, from the sale of x thousand boxes.

(c) Find the number of boxes that should be sold each week to maximize the profit.

Markscheme -2x + 220 = 0 M1 x = 110 A1 110 000 (boxes) A1 [3 marks]

(d) Find
$$P(x)$$
.

Markscheme

 $P\left(x
ight)=\int-2x+220\,\mathrm{d}x$ M1

Note: Award M1 for evidence of integration.

$$P\left(x
ight)=-x^{2}+220x+c$$
 atat


Note: Award A1 for either $-x^2$ or 220x award A1 for both correct terms and constant of integration.

$$1700 = -(20)^2 + 220 (20) + c$$
 M1
 $c = -2300$
 $P(x) = -x^2 + 220x - 2300$ A1
[5 marks]

[3]

[5]

(e) Find the least number of boxes which must be sold each week in order to make a profit.



2. [Maximum mark: 7] Consider the curve $y = x^2 - 4x + 2$.

(a) Find an expression for
$$\frac{\mathrm{d}y}{\mathrm{d}x}$$
.

Markscheme

* This sample question was produced by experienced DP mathematics senior examiners to aid teachers in preparing for external assessment in the new MAA course. There may be minor differences in formatting compared to formal exam papers.

$$rac{\mathrm{d}y}{\mathrm{d}x}=2x-4$$
 A1

[1 mark]

(b) Show that the normal to the curve at the point where x=1 is 2y-x+3=0.

Markscheme

Gradient at x=1 is -2 **M1**

Gradient of normal is $\frac{1}{2}$ A1

When $x = 1 \; y = 1 - 4 + 2 = -1$ (M1)A1

EITHER

$$y+1=rac{1}{2}(x-1)$$
 M1 $2y+2=x-1 ext{ or } y+1=rac{1}{2}x-rac{1}{2}$ A1

[1]

OR
$$-1=rac{1}{2} imes 1+c$$
 M1 $y=rac{1}{2}x-rac{3}{2}$ A1

THEN

2y-x+3=0 ag

[6 marks]

3. [Maximum mark: 12]

A box of chocolates is to have a ribbon tied around it as shown in the diagram below.



The box is in the shape of a cuboid with a height of $3 \, {\rm cm}$. The length and width of the box are x and $y \, {\rm cm}$.

After going around the box an extra $10\,\mathrm{cm}$ of ribbon is needed to form the bow.

(a) Find an expression for the total length of the ribbon L in terms of x and y.

[2]

Markscheme

* This sample question was produced by experienced DP mathematics senior examiners to aid teachers in preparing for external assessment in the new MAA course. There may be minor differences in formatting compared to formal exam papers.

L = 2x + 2y + 12 + 10 = 2x + 2y + 22 A1A1

Note: A1 for 2x + 2y and A1 for 12 + 10 or 22.

[2 marks]

The volume of the box is $450\,cm^3$.

(b) Show that
$$L=2x+rac{300}{x}+22$$
 [3]

Markscheme

$$V=3xy=450$$
 A1
 $y=rac{150}{x}$ A1
 $L=2x+2ig(rac{150}{x}ig)+22$ M1
 $L=2x+rac{300}{x}+22$ AG

[3 marks]

Find $\frac{\mathrm{d}L}{\mathrm{d}x}$ (c)

Markscheme

 $L = 2x + 300x^{-1} + 22$ (M1)

$$rac{\mathrm{d}L}{\mathrm{d}x}=2-rac{300}{x^2}$$
 A1A1

Note: A1 for 2 (and 0), A1 for $\frac{300}{x^2}.$

[3 marks]

Solve $rac{\mathrm{d}L}{\mathrm{d}x}=0$ (d)

[2]



]

Markscheme

$$rac{300}{x^2}=2$$
 (M1) $x=\sqrt{150}=12.2~(12.2474\ldots)$ A1

[2 marks]

(e) Hence or otherwise find the minimum length of ribbon required.

[2]

Markscheme

$$L = 2\sqrt{150} + rac{300}{\sqrt{150}} + 22 = 71.0~(70.\,9897\ldots)\,\mathrm{cm}$$
 (M1)A1

[2 marks]

4. [Maximum mark: 12]

The rate of change of the height (h) of a ball above horizontal ground, measured in metres, t seconds after it has been thrown and until it hits the ground, can be modelled by the equation

$$\frac{\mathrm{d}h}{\mathrm{d}t} = 11.4 - 9.8t$$

The height of the ball when t=0 is $1.2\,\mathrm{m}.$

(a) Find an expression for the height h of the ball at time t.

[6]

Markscheme

* This sample question was produced by experienced DP mathematics senior examiners to aid teachers in preparing for external assessment in the new MAA course. There may be minor differences in formatting compared to formal exam papers.

$$h = \int (11.4 - 9.8t) dt$$
 M1
 $h = 11.4t - 4.9t^2(+c)$ A1A1
When $t = 0, h = 1.2$ (M1)
 $c = 1.2$ (A1)
 $(h =)1.2 + 11.4t - 4.9t^2$ A1

[6 marks]

(b.i) Find the value of t at which the ball hits the ground.

[2]



(b.ii) Hence write down the domain of h.

Markscheme

 $0 \leq t \leq 2.43$ A1

Note: $\operatorname{Accept} 0 \leq t < 2.43.$

[1 mark]

(c) Find the range of h.


[3]

Markscheme Maximum value is 7.83061... (M1) Range is $0 \le h \le 7.83$ A1A1 Note: Accept $0 \le h < 7.83$. [3 marks] [1]

5. [Maximum mark: 16]

A theatre set designer is designing a piece of flat scenery in the shape of a hill. The scenery is formed by a curve between two vertical edges of unequal height. One edge is 2 metres high and the other is 1 metre high. The width of the scenery is 6 metres.

A coordinate system is formed with the origin at the foot of the 2 metres high edge. In this coordinate system the highest point of the cross-section is at (2, 3.5).



A set designer wishes to work out an approximate value for the area of the scenery $(A\,{
m m}^2$).

(a) Explain why A < 21.

[1]

Markscheme

* This sample question was produced by experienced DP mathematics senior examiners to aid teachers in preparing for external assessment in the new MAA course. There may be minor differences in formatting compared to formal exam papers.

The area A is less than the rectangle containing the cross-section which is equal to 6 imes 3.5=21 R1

Note: $6 \times 3.5 = 21$ is not sufficient for R1.

[1 mark]

(b) By dividing the area between the curve and the x-axis into two trapezoids of unequal width show that A>14.5, justifying the direction of the inequality.

[4]

Markscheme

$$rac{1}{2} imes 2 imes (2+3.5) + rac{1}{2} imes 4 imes (3.5+1)$$
 (M1)(A1)

= 14.5 A1

This is an underestimate as the trapezoids are enclosed by (are under) the curve. **R1**

Note: This can be shown in a diagram.

[4 marks]

In order to obtain a more accurate measure for the area the designer decides to model the curved edge with the polynomial

 $h(x)=ax^3+bx^2+cx+d~~a,\,b,\,c,\,d\in\mathbb{R}$ where h metres is the height of the curved edge a horizontal distance $x\,\mathrm{m}$ from the origin.

(c) Write down the value of d.

[1]

Markscheme

$$h(0)=2\Rightarrow d=2$$
 A1

[1 mark]

(d) Use differentiation to show that
$$12a+4b+c=0.$$

[2]

[3]

Markscheme

 $h\prime(x)=3ax^2+2bx+c$ A1 $h\prime(2)=0$ M1 hence 12a+4b+c=0 AG

[2 marks]

(e) Determine two other linear equations in a, b and c.

Markscheme

Substitute the points $(2,\ 3.\ 5)$ and $(6,\ 1)$ (M1)

$$8a + 4b + 2c + 2 = 3.5 (8a + 4b + 2c = 1.5)$$

and

$$216a + 36b + 6c + 2 = 1 \; (216a + 36b + 6c = -1)$$
 a1A1

[3 marks]

Markscheme
Solve on a GDC (M1)
$$h(x) = 0.0365x^3 - 0.521x^2 + 1.65x + 2$$
 A2
 $(h(x) = 0.0364583 \dots x^3 - 0.520833 \dots x^2 + 1.64583 \dots x + 2)$
[3 marks]

(g) Use the expression found in (f) to calculate a value for A.

[2]

Markscheme

 $egin{aligned} &\int_0^6 0.\,0364583\ldots x^3 - 0.\,520833\ldots x^2 + 1.\,64583\ldots x + 2\,\mathrm{d}x \ &= 15.\,9\;(15.\,9374\ldots)\;\left(\mathrm{m}^2
ight) \quad$ (M1)A1

Note: Accept $16.0\ (16.014)$ from the three significant figure answer to part (g).


[2 marks]

6. [Maximum mark: 6]

A rectangular box, with an open top, is to be constructed from a piece of cardboard that measures $48\ {
m cm}$ by $30\ {
m cm}$.

Squares of equal size will be cut from the corners of the cardboard, as indicated by the shading in the diagram. The sides will then be folded along the dotted lines to form the box.


diagram not to scale




The volume of the box, in cubic centimetres, can be modelled by the function V(x) = (48 - 2x)(30 - 2x)(x), for 0 < x < k, where x is the length of the sides of the squares removed in centimetres.

(a) Write down the maximum possible value of k in this context.

[1]




(b) Find the value of x that maximizes the volume of the box.



A second piece of 48 cm by 30 cm cardboard is damaged and a strip 2 cm wide must be removed from all four sides. A box will then be constructed in a similar manner from the remaining cardboard.


(c) Calculate the maximum possible volume of the box made from the second piece of cardboard.



7. [Maximum mark: 17]

A large closed container, in the shape of a half cylinder with a rectangular lid, is to be constructed with a volume of $0.8 \,\mathrm{m^3}$. The container has a length of lmetres and a radius of r metres.

diagram not to scale



(a) Find an exact expression for l in terms of r and π .

Markscheme

equating a volume of a half cylinder (or cylinder) to 0.8 (M1)

$$0.8 = \frac{1}{2} \pi r^2 l$$

$$l=rac{1.6}{\pi r^2}$$
 A1

Note: Do not accept decimal approximation of π for the *A1* given the demand of question.

Condone the use of h for l for the $\it M1$

[2]

(b)

The container will be constructed using two different materials. The material for both the curved surface and the rectangular lid of the container costs \$4.40 per square metre. The material for the semicircular ends of the container costs p per square metre.

The cost, C, of the materials to construct the container can be written in terms of r and p (where p>0 and r>0).

(b) Show that
$$C = 7.04r^{-1} + \frac{14.08}{\pi}r^{-1} + p\pi r^2$$
.
Markscheme
calculating area in terms of r and l M1
 $C = 2lr + \pi r^2 + \pi r l$
area with l replaced by $\frac{1.6}{\pi r^2}$ M1
apply costs to correct part of each surface M1
a correct substitution into an expression for C , leading to given answer
A1

e.g.
$$(C=)$$
 4. $40 imes \pi r \left(rac{1.6}{\pi r^2}
ight) + 4.$ $40 imes 2r \left(rac{1.6}{\pi r^2}
ight) + p imes \pi r^2$
 $(C=)$ 7. $04r^{-1} + rac{14.08}{\pi}r^{-1} + p\pi r^2$ AG

Note: The AG line must be seen to award the final A1.

No incorrect working should be seen after the correct substitution

[4]

[4 marks]

(c) Find $\frac{\mathrm{d}C}{\mathrm{d}r}$.

Markscheme

EITHER

$$\left(rac{{
m d}C}{{
m d}r}=
ight) \ -7.\ 04r^{-2}-rac{14.08}{\pi}r^{-2}+2p\pi r$$
 atatat

OR

$$-7.04r^{-2} - 4.48r^{-2} + 6.28pr$$

 $\left(-7.04r^{-2} - \left(4.48180\ldots
ight)r^{-2} + 6.28318\ldots pr
ight)$ A1A1A1

OR

$$-11.5r^{-2}+6.28pr$$
 $((-11.5218...)r^{-2}+6.28318...pr)$

Note: Award A1 for each correct term.

Award at most **A1A1A0** if extra terms are seen.

[3 marks]

The cost of materials to construct the container is minimized when the radius of the container, r, is $0.7 \,\mathrm{m}$.

(d) Find the value of p.

Markscheme

recognition of setting $\frac{dC}{dr}$ to zero (M1) attempt to substitute 0. 7 in for r in their derivative (M1) $0 = -7.04(0.7)^{-2} - \frac{14.08}{\pi} \times (0.7)^{-2} + 2p\pi \times 0.7$ (p =) (\$)5.35 (per square metre) ((\$)5.34621...) A1 Note: Accept \$5.34, as this will also lead to a radius of 0.7 (to 3sf).

In total, 350 containers will be constructed at this minimum cost.

(e) Calculate the cost of materials, to the nearest dollar, to construct all 350 containers.

[3]

Markscheme attempt to calculate the cost of one container (M1) $\begin{pmatrix} C = \\ \end{pmatrix} 7.04(0.7)^{-1} + \frac{14.08}{\pi}(0.7)^{-1} + 5.34621...\pi \times 0.7^2$ (A1)

Note: May be shown within a calculation of the cost of all containers.

(C =) 24.6895...24.6895... imes 350= (\$) 8641 A1

Note: Answer must be rounded to the nearest dollar to award the final A1.

Accept answers between 8641 and 8645 (inclusive), due to rounding the value of p and/or the cost of one container to the nearest cent.

Award (M1)(A1)A0 for an answer rounded to 3sf (e.g. (\$)8640) or to 2dp (e.g., (\$)8641.35).

Accept an answer of (\$)8638 from use of \$5. 34 in their cost calculation.

[3 marks]

The materials for constructing the containers can be purchased at a discount according to the information in the table.

| Cost of materials ($\$C$) | Discount applied to | |
|-----------------------------|---------------------|--|
| before discount | entire order | |
| $1000 \leq C < 2500$ | 1% | |
| $2500 \leq C < 5000$ | 4% | |
| $5000 \leq C < 10000$ | 8% | |
| $C \geq 10000$ | 10% | |

(f) Determine the cost of materials for 350 containers after the discount is applied.

Markscheme

attempt to apply a discount of 8% to their part (e) (M1)

Note: the discount percentage will depend on their answer to part (e)

```
e.g. 8641.\,35\ldots 	imes 0.\,92 or 8641.\,35\ldots 	imes 0.\,08
```

 $(\$)7950~((\$)7950.04\ldots)$ A1

[2 marks]

8. [Maximum mark: 16]


A particular park consists of a rectangular garden, of area $A\,m^2$, and a concrete path surrounding it. The park has a total area of $1200\,m^2$.

The width of the path at the north and south side of the park is $2\,\mathrm{m}.$

The width of the path at the west and east side of the park is $1.5\,m.$

The length of the park (along the north and south sides) is x metres, 3 < x < 300.

diagram not to scale



(a.i) Write down the length of the garden in terms of x.

| Marksche | me | | | |
|----------|----|--|--|--|
| x - 3 | A1 | | | |
| [1 mark] | | | | |

(a.ii) Find an expression for the width of the garden in terms of x.

[1]

Markscheme

attempt to use 1200 to find width of park in terms of only x (M1) $\frac{1200}{x}$ (seen) **OR** $1200 = x \times$ park width **OR** $1200 = x \times$ (garden width +4) $\frac{1200}{x} - 4$ A1

(a.iii) Hence show that $A = 1212 - 4x - \frac{3600}{x}$.

[2]

Markscheme


$$A=ig(x-3ig) imesig(rac{1200}{x}-4ig)$$
 At $=1200-4x-rac{3600}{x}+12$ At

Note: Award first **A1FT** for multiplying their garden length and width and second **A1** for a simplified (parentheses removed) expression for A that leads to the given answer. The given answer must be shown for the second **A1** mark to be awarded

$$= 1212 - 4x - rac{3600}{x}$$
 ag

[2 marks]

(b) Find the possible dimensions of the park if the area of the garden is $800\,m^2$.




Note: To award the final A1 both values of x and both values of the width must be seen. Accept 12. 8 for second value of width from candidate dividing 1200 by 3 sf value of 93. 4.

[4 marks]

(c) Find an expression for $\frac{dA}{dx}$.

[3]



(d) Use your answer from part (c) to find the value of x that will maximize the area of the garden.

Markscheme

setting *their* $\frac{dA}{dx}$ equal to 0 **OR** sketch of *their* $\frac{dA}{dx}$ with x-intercept highlighted **M1**

$$(x =) 30 (m)$$
 A1

Note: To award A1FT the candidate's value of x must be within the domain given in the problem (3 < x < 300).

[2 marks]

(e) Find the maximum possible area of the garden.

[2]

Markscheme

EITHER

evidence of using GDC to find maximum of graph of

$$A = 1212 - 4x - rac{3600}{x}$$
 (M1)

OR

substitution of *their* x into A (M1)

[2]

OR

dividing 1200 by their x to find width of park and subtracting 3 from their x and 4 from the width to find park dimensions (M1)

Note: For the last two methods, only follow through if 3 < their x < 300.

THEN

 $\left(A=
ight)$ 972 $\left(\mathrm{m}^2
ight)$ at

[2 marks]

9. [Maximum mark: 8]

Giles charges a customer per hour to hire his boat. It is known that

$$rac{{\mathrm d}P}{{\mathrm d}t} = 20 - rac{980}{t^2}, \ 0 < t \leq 12$$

where P is the cost per hour, in Norwegian krone (NOK), that the customer is charged and t is the time, in hours, spent on the boat.

The cost per hour has a local minimum when the boat is hired for h hours.

(a) Find the value of h.

[2]

| Markscheme | | | |
|--|--|--|--|
| $0=20-rac{980}{t^2}$ or $rac{\mathrm{d}P}{\mathrm{d}t}=0$ (M1) | | | |
| Note: Accept equivalent information presented in a labelled sketch. | | | |
| $(h=)\ 7 { m hours}$ A1 | | | |
| Note: Award M1A0 for an answer of $(7, 280)$. | | | |
| [2 marks] | | | |

Sandra hired Giles' boat for 5 hours and was charged $NOK\ 328$ per hour. Yvonne hires Giles' boat for 7 hours.

(b) Show that the cost per hour for Yvonne is $NOK\ 312.$

[6]

Markscheme

recognition of need to integrate (e.g. reverse power rule or integral symbol)

$$P(t) = 20t + rac{980}{t}(+c)$$
 A1A1 $328 = 20 imes 5 + rac{980}{5} + c$ (M1)

(M1)

Note: Award (M1) for substitution of P = 328 and t = 5 into their P(t). A constant of integration must be seen (can be implied by a correct answer).

$$c=32$$
 A1 $P(7)=20 imes 7+rac{980}{7}+32$ M1

AG

Note: Award M1 for substituting 7 and their 32 into their P(t). Do not award the final M mark if their substituted values do not lead to 312.

$$312 \text{ NOK}$$

[6 marks]

© International Baccalaureate Organization, 2024