Sequences (AI) + Finances - review (TL) [188 marks]

1. [Maximum mark: 6]

The Osaka Tigers basketball team play in a multilevel stadium.



The most expensive tickets are in the first row. The ticket price, in Yen (¥), for each row forms an arithmetic sequence. Prices for the first three rows are shown in the following table.

Ticket pricing per game	
1st row	6800 Yen
2nd row	6550 Yen
3rd row	6300 Yen

(a) Write down the value of the common difference, d

[1]

Markscheme	
(d =) - 250	A1
[1 mark]	

(b) Calculate the price of a ticket in the 16th row.

[2]

Markscheme

$$(u_{16} =)6800 + (16 - 1)(-250)$$
 M1

(¥)3050 A1

[2 marks]

(c) Find the total cost of buying 2 tickets in each of the first 16 rows.

[3]

Markscheme $(S_{16} =) \left(\frac{16}{2}\right) (2 \times 6800 + (16 - 1) (-250)) \times 2$ M1M1 **Note:** Award M1 for correct substitution into arithmetic series formula. Award M1 for multiplication by 2 seen. OR $(S_{16} =) \left(\frac{16}{2}\right) (6800 + 3050) \times 2$ M1M1 **Note:** Award M1 for correct substitution into arithmetic series formula. Award M1 for multiplication by 2 seen.

(¥)158 000 (157 600) A1

[3 marks]

2. [Maximum mark: 18]

In this question, give all answers to two decimal places.

Bryan decides to purchase a new car with a price of €14 000, but cannot afford the full amount. The car dealership offers two options to finance a loan.

Finance option A:

A 6 year loan at a nominal annual interest rate of 14 % **compounded quarterly**. No deposit required and repayments are made each quarter.

(a.i) Find the repayment made each quarter.

[3]

SPM.2.AHL.TZ0.3

Markscheme
N = 24 I % = 14 PV = -14000
FV = 0 P/Y = 4 C/Y = 4 (<i>M1</i>)(<i>A1</i>)
Note: Award <i>M1</i> for an attempt to use a financial app in award <i>A1</i> for all entries correct. Accept $PV = 14000$.
(<i>E</i>)871.82 /1

(€)871.82 **A1**

[3 marks]

(a.ii) Find the total amount paid for the car.

[2]

their technology,

Markscheme		
4×6×871.82	(M1)	
(€) 20923.68	A1	

(a.iii) Find the interest paid on the loan.

Markscheme 20923.68 – 14000 (M1) (€) 6923.68 A1 [2 marks]

Finance option B:

A 6 year loan at a nominal annual interest rate of r % **compounded monthly**. Terms of the loan require a 10 % deposit and monthly repayments of \in 250.

(b.i) Find the amount to be borrowed for this option.

Markscheme 0.9 × 14000 (= 14000 - 0.10 × 14000) M1 (€) 12600.00 A1 [2 marks]

(b.ii) Find the annual interest rate, *r*.

Markscheme N = 72 PV = 12600 PMT = -250

[3]

FV = 0 P/Y = 12 C/Y = 12 *(M1)(A1)* **Note:** Award *M1* for

Note: Award *M1* for an attempt to use a financial app in their technology, award *A1* for all entries correct. Accept PV = -12600 provided PMT = 250.

12.56(%) **A1**

[3 marks]

(c) State which option Bryan should choose. Justify your answer.

[2]

Markscheme

EITHER

Bryan should choose Option A A1

no deposit is required **R1**

Note: Award **R1** for stating that no deposit is required. Award **A1** for the correct choice from that fact. Do not award **R0A1**.

0R

Bryan should choose Option B A1

```
cost of Option A (6923.69) > cost of Option B (72 × 250 – 12600 = 5400)
R1
```

Note: Award *R1* for a correct comparison of costs. Award *A1* for the correct choice from that comparison. Do not award *R0A1*.

[2 marks]

(d) Bryan chooses option B. The car dealership invests the money Bryan pays as soon as they receive it.

> If they invest it in an account paying 0.4 % interest per month and inflation is 0.1 % per month, calculate the real amount of money the car dealership has received by the end of the 6 year period.

[4]

```
Markscheme
real interest rate is 0.4 - 0.1 = 0.3\%
                                        (M1)
value of other payments 250 + 250 \times 1.003 + ... + 250 \times 1.003^{71}
use of sum of geometric sequence formula or financial app on a GDC
(M1)
= 20 058.43
value of deposit at the end of 6 years
1400 \times (1.003)^{72} = 1736.98
                               (A1)
Total value is (€) 21 795.41
                              A1
Note: Both M marks can awarded for a correct use of the GDC's financial
app:
N = 72 (6 \times 12)
1\% = 3.6(0.3 \times 12)
PV = 0
PMT = -250
FV =
P/Y = 12
C/Y = 12
OR
```

N = 72 (6 × 12) I % = 0.3 PV = 0 PMT = -250 FV = P/Y = 1 C/Y = 1[4 marks] **3.** [Maximum mark: 7]

Sophia pays \$200 into a bank account at the end of each month. The annual interest paid on money in the account is 3.1% which is compounded monthly.

(a) Find the value of her investment after a period of 5 years.

[3]

Markscheme

* This sample question was produced by experienced DP mathematics senior examiners to aid teachers in preparing for external assessment in the new MAA course. There may be minor differences in formatting compared to formal exam papers.

Number of time periods 12 imes 5=60 (A1)

```
\begin{split} \mathsf{N} &= 60 \\ \mathsf{I}\% &= 3.\ 1 \\ \mathsf{PV} &= 0 \\ \mathsf{PMT} &= 200 \\ \mathsf{P/Y} &= 12 \\ \mathsf{C/Y} &= 12 \\ \mathsf{Value}\ (\$) 12, 961.\ 91 \qquad \textbf{(M1)A1} \end{split}
```

[3 marks]

The average rate of inflation per year over the 5 years was 2%.

(b) Find an approximation for the real interest rate for the money invested in the account.

[2]

Markscheme	
METHOD 1	

Real interest rate =3.1-2.0=1.1% (M1)A1

METHOD 2

 $\frac{1+0.031}{1+0.02} = 1.01078\dots$ (M1)

 $1.\,08\%$ (accept $1.\,1\%)$ $\hfill A1$

[2 marks]

(c) Hence find the real value of Sophia's investment at the end of $5\,$ years.

[2]

Markscheme
N = 60 I% = 1.1 PV = 0 PMT = 200 PMT = 12
P/Y = 12 C/Y = 12 (\$)12,300 (12,330.33) (M1)A1
Note: Award A1 for $\$12,300$ only.
[2 marks]

4. [Maximum mark: 7]

A disc is divided into 9 sectors, number 1 to 9. The angles at the centre of each of the sectors u_n form an arithmetic sequence, with u_1 being the largest angle.



It is given that $u_9 = rac{1}{3} u_1$.

(b) Find the value of u_1 .

Markscheme

EITHER

 $360=rac{9}{2}(u_1+u_9)$ M1 $360=rac{9}{2}ig(u_1+rac{1}{3}u_1ig)=6u_1$ M1A1

OR

 $egin{aligned} 360 &= rac{9}{2}(2u_1+8d) \quad extsf{M1} \ u_9 &= rac{1}{3}u_1 = u_1+8d \Rightarrow u_1 = -12d \quad extsf{M1} \ & extsf{Substitute this value} \ & extsf{360} &= rac{9}{2}\left(2u_1-8 imes rac{u_1}{12}
ight) \ \left(=rac{9}{2} imes rac{4}{3}u_1 = 6u_1
ight) \quad extsf{A1} \end{aligned}$

THEN

$$u_1=60\degree$$
 A1

[4 marks]

(c) A game is played in which the arrow attached to the centre of the disc is spun and the sector in which the arrow stops is noted. If the arrow stops in sector 1 the player wins 10 points, otherwise they lose 2 points.

Let X be the number of points won

Find E(X).

[2]

Markscheme

$$\mathrm{E}ig(Xig) = 10 imes rac{60}{360} - 2 imes rac{300}{360} = 0$$
 miai

[2 marks]

5. [Maximum mark: 5]

Give your answers to this question correct to two decimal places.

Gen invests \$2400 in a savings account that pays interest at a rate of 4% per year, compounded annually. She leaves the money in her account for 10 years, and she does not invest or withdraw any money during this time.

(a) Calculate the value of her savings after 10 years.

[2]

Markscheme	
$2400(1.04)^{10} = \$3552.59$ m1A1	
[2 marks]	

(b) The rate of inflation during this 10 year period is 1.5% per year.

Calculate the real value of her savings after 10 years.

[3]

Markscheme	
real interest rate = $4-1.5=2.5\%$ A1	
$2400 {(1.025)}^{10} = \$3072.20$ m1A1	
[3 marks]	

6. [Maximum mark: 6]

Yejin plans to retire at age 60. She wants to create an annuity fund, which will pay her a monthly allowance of \$4000 during her retirement. She wants to save enough money so that the payments last for 30 years. A financial advisor has told her that she can expect to earn 5% interest on her funds, compounded annually.

(a) Calculate the amount Yejin needs to have saved into her annuity fund, in order to meet her retirement goal.

[3]

Markscheme
Use of finance solver M1
<i>N</i> = 360, <i>I</i> = 5%, Pmt = 4000, FV = 0, PpY = 12, CpY = 1 <i>A1</i>
\$755000 (correct to 3 s.f.) A1
[3 marks]

(b) Yejin has just turned 28 years old. She currently has no retirement savings. She wants to save part of her salary each month into her annuity fund.

Calculate the amount Yejin needs to save each month, to meet her retirement goal.

[3]

Markscheme N = 384, l = 5%, PV = 0, FV = 754638, PpY = 12, CpY = 1 M1A1 \$817 per month (correct to 3 s.f.) A1 [3 marks]

7. [Maximum mark: 15]

Sophie is planning to buy a house. She needs to take out a mortgage for \$120000. She is considering two possible options.

Option 1: Repay the mortgage over 20 years, at an annual interest rate of 5%, compounded annually.

Option 2: Pay \$1000 every month, at an annual interest rate of 6%, compounded annually, until the loan is fully repaid.

(a.i) Calculate the monthly repayment using option 1.

[2]

EXM.2.SL.TZ0.2

Markscheme		
evidence of using Finance solver on GDC M1		
Monthly payment = \$785 (\$784.60) <i>A1</i>		
[2 marks]		

(a.ii) Calculate the total amount Sophie would pay, using option 1.

[2]

Markscheme	
240 imes785=\$188000 m1A1	
[2 marks]	

(b.i) Calculate the number of months it will take to repay the mortgage using option 2.

[3]

Markscheme

 $N=180.7\,$ m1A1

It will take 181 months A1

(b.ii) Calculate the total amount Sophie would pay, using option 2.

[2]

Markscheme

 $181 imes 1000 = \$ \ 181000$ m1A1

[2 marks]

Give a reason why Sophie might choose

(c.i) option 1.

[1]

The monthly repayment is lower, she might not be able to afford \$1000 per month. *R1*

[1 mark]

(c.ii) option 2.

[1]

Markscheme
the total amount to repay is lower. <i>R1</i>
[1 mark]

Sophie decides to choose option 1. At the end of 10 years, the interest rate is changed to 7%, compounded annually.

(d.i) Use your answer to part (a)(i) to calculate the amount remaining on her mortgage after the first 10 years.

Markscheme

\$74400 (accept \$74300) *M1A1*

[2 marks]

(d.ii) Hence calculate her monthly repayment for the final 10 years.

[2]

Markscheme

Use of finance solver with N = 120, PV = \$74400, I = 7% **A1**

\$855 (accept \$854 - \$856) **A1**

[2 marks]

8. [Maximum mark: 15]

Daina makes pendulums to sell at a market. She plans to make 10 pendulums on the first day and, on each subsequent day, make 6 more than she did the day before.

(a) Calculate the number of pendulums she would make on the $12 \ th$ day.

[3]

Markscheme
recognizing arithmetic sequence (may be seen in part (b)) (M1)
$(u_{12}=) \ 10 + (12-1) imes 6$ (A1)
76 A1
[3 marks]

She plans to make pendulums for a ${\bf total}$ of $15~{\rm days}$ in preparation for going to the market.

(b) Calculate the total number of pendulums she would have available at the market.

[2]



Daina would like to have at least 1000 pendulums available to sell at the market and therefore decides to increase her production. She still plans to make 10 pendulums on the first day, but on each subsequent day, she will make x more than she did the day before.

(c) Given that she will still make pendulums for a total of 15 days, calculate the minimum integer value of x required for her to reach her target.

[3]

Markscheme
attempt to use either arithmetic series formula equated to 1000 (M1)
$rac{15}{2}ig(2 imes 10+ig(15-1ig) imes xig)=1000$ or $rac{15}{2}ig(10+u_{15}ig)=1000$
x = 8.09523 (A1)
x=9 A1
Note: Follow through within guestion part for final <i>A1</i> for candidates

correctly rounding their value of x up to the nearest integer. Award (MO) (AO)AO for a response of x = 8 with no working shown.

[3 marks]

Daina tests one of her pendulums. She releases the ball at the end of the pendulum to swing freely. The point at which she releases it is shown as the initial position on the left side of the following diagram. Daina begins recording

the distances travelled by the ball **after** it has reached the extreme position, represented by the right-hand side of the diagram.

diagram not to scale



On each successive swing, the distance that the ball travelled was 95% of its previous distance. During the first swing that Daina recorded, the ball travelled a distance of 17.1 cm. During the second swing that she recorded, it travelled a distance of 16.245 cm.

(d) Calculate the distance that the ball travelled during the $5\,th$ recorded swing.

[3]

Markscheme

recognizing geometric sequence (may be seen in part (e)) (M1)

 $17.1 imes 0.95^{5-1}$ (A1)

13.9 (cm) (13.9280...) A1

Markscheme

(e) Calculate the total distance that the ball travelled during the first 16 recorded swings.

[2]

correct substitution into geometric series formula (A1)

A1

 $\frac{\frac{17.1(1-0.95^{16})}{1-0.95}}{191 \text{ (cm) (191.476...(cm))}}$

[2 marks]

(f) Calculate the distance that the ball travelled before Daina started recording.

[2]

Markscheme correct method to find u_0 (M1) $u_0 = 17.1 \times (0.95)^{0-1}$ OR 17.1 = 0.95x OR $\frac{17.1}{0.95}$ (seen) Note: Award (M0)A0 for any attempt to find answer using 0.05 or 1.05. 18 (cm) A1 [2 marks]

9. [Maximum mark: 7]

In the first month of a reforestation program, the town of Neerim plants 85 trees. Each subsequent month the number of trees planted will increase by an additional 30 trees.

The number of trees to be planted in each of the first three months are shown in the following table.

Month	Trees planted
1	85
2	115
3	145

(a) Find the number of trees to be planted in the $15 \mathrm{th}$ month.

[3]



(b) Find the total number of trees to be planted in the first $15\,$ months.

[2]

Markscheme	
use of the sum of n terms of an arithmetic sequence formula	(M1)
$S_{15} = rac{15}{2}(85+505)$ or $rac{15}{2}(2 imes 85+(15-1) imes 30)$	

[2 marks]

(c) Find the mean number of trees planted per month during the first 15 months.

[2]

Markscheme
$rac{4425}{15}$ or $85+(8-1) imes 30$ (M1)
295 A1
Note: Accept $295.333\ldots$ from use of 3sf value from part (b).
[2 marks]

10. [Maximum mark: 7]

Kristi's house is located on a long straight road which traverses east–west. The road can be modelled by the equation y = 0, and her home is located at the origin $(0,\ 0)$.

She is training for a marathon by running from her home to a point on the road and then returning to her home by bus.

- The first day Kristi runs 2 kilometres east to point $A(2,\ 0)$.
- The second day Kristi runs west to point **B**.
- The third day Kristi runs 4.5 kilometres east to point ${
 m C}(4.5,\ 0).$

This information is represented in the following diagram.



Each day Kristi increases the distance she runs. The point she reaches each day can be represented by an x-coordinate. These x-coordinates form a geometric sequence.

(a) Show that the common ratio, r, is -1.5.

[2]

Markscheme

$$4.5 = 2(r)^{3-1}$$
 (M1)

$$r=\pm 1.5$$
 , r1

(Some x-values are negative or direction from house changes each day)

$$r=-1.5$$
 Ag

Note: Award *M0R0AG* for a verification approach $4.5 = 2(-1.5)^{3-1}$.

[2 marks]

On the $6 {
m th}$ day, Kristi runs to point F.

(b) Find the location of point $F. \label{eq:Find}$

[2]

Markscheme
$2(-1.5)^{6-1}$ (M1)
EITHER
$(-15.2,\ 0)\ (-15.1875\ldots,\ 0)$ A1
OR
$x=-15.2\mathrm{km}$ A1
OR
$15.2{ m km}$ west (of the origin) A1
Note: Award (M1)A0 for an answer of " $-15.2(\mathrm{km})$ " without indicating
that it is the x -value.
[2 marks]

(c) Find the total distance Kristi runs during the first $7 \, \mathrm{days}$ of training.



[3]

11. [Maximum mark: 7]

A ball is dropped from a height of 1.8 metres and bounces on the ground. The maximum height reached by the ball, after each bounce, is 85% of the previous maximum height.



(a) Show that the maximum height reached by the ball after it has bounced for the sixth time is $68 \,\mathrm{cm}$, to the nearest cm.



Markscheme use of geometric sequence with r = 0.85 M1 EITHER $(0.85)^6(1.8)$ OR 0.678869... OR $(0.85)^5(1.53)$ A1 = 0.68 m = 68 cm AG OR $(0.85)^6(180)$ OR $(0.85)^5(153)$ A1

 $=68\,\mathrm{cm}$ AG

[2 marks]

(b) Find the number of times, after the first bounce, that the maximum height reached is greater than $10\,\mathrm{cm}$.

[2]

Markscheme **EITHER** $(0.85)^n(1.8) > 0.1$ or $(0.85)^{n-1}(1.53) > 0.1$ (M1) Note: If $1.8 \,\mathrm{m}$ (or $180 \,\mathrm{cm}$) is used then (M1) only awarded for use of n in $(0.85)^n(1.8) > 0.1.$ If $1.53\,\mathrm{m}$ (or $153\,\mathrm{cm}$) is used then *(M1)* only awarded for use of n-1 in $(0.85)^{n-1}(1.53) > 0.1.$ 17A1 OR $(0.\,85)^{17}(1.\,8)=0.\,114\,\mathrm{m}$ and $(0.\,85)^{18}(1.\,8)=0.\,0966\,\mathrm{m}$ (M1) 17A1 OR solving $\left(0.\,85 ight)^n(1.\,8)=0.\,1$ to find $n=17.\,8$ (M1) 17A1

Note: Evidence of solving may be a graph **OR** the "solver" function **OR** use of logs to solve the equation. Working may use **cm**.

[2 marks]

(c) Find the total **vertical** distance travelled by the ball from the point at which it is dropped until the fourth bounce.

[3]

Markscheme

EITHER

distance (in one direction) travelled between first and fourth bounce

$$=rac{(1.8 imes 0.85)(1-0.85^3)}{1-0.85}~(=3.935925\ldots)$$
 (A1)

recognizing distances are travelled twice except first distance (M1)

$$18 + 2(3.935925)$$

= 9.67m (9.67185...m) A1

OR

distance (in one direction) travelled between drop and fourth bounce

$$=rac{(1.8)(1-0.85^4)}{1-0.85}~(=5.735925\ldots)$$
 (A1)

recognizing distances are travelled twice except first distance (M1)

$$2(5.735925) - 1.8$$

= 9.67m (9.67185...m) A1

distance (in one direction) travelled between first and fourth bounce

$$(0.85)(1.8) + (0.85)^2(1.8) + (0.85)^3(1.8)$$
 (= 3.935925...)
(A1)

recognizing distances are travelled twice except first distance (M1)

$$1.8 + 2(0.85)(1.8) + 2(0.85)^2(1.8) + 2(0.85)^3(1.8)$$

$$= 9.67 \,\mathrm{m}~(9.67185 \ldots \mathrm{m})$$
 A1

Note: Answers may be given in cm.

[3 marks]

12. [Maximum mark: 5]

The sum of an infinite geometric sequence is 9.

The first term is 4 more than the second term.

Find the third term. Justify your answer.

Markscheme
METHOD 1
$rac{u_1}{1-r}=9$ A1
therefore $u_1=9-9r$
$u_1=4+u_1r$ at
substitute or solve graphically: M1
$9-9r=4+(9-9r)r$ or $rac{4}{\left(1-r ight)^{2}}=9$
$9r^2 - 18r + 5 = 0$
$r=rac{1}{3}$ or $r=rac{5}{3}$
only $r=rac{1}{3}$ is possible as the sum to infinity exists $$ <i>R1</i>
then $u_1=9-\left(9 imesrac{1}{3} ight)=6$
$u_3=6 imes rac{1}{3}^2=rac{2}{3}$ A1
METHOD 2

$$rac{u_1}{1-r}=9$$
 A1 $r=rac{u_1-4}{u_1}$ A1attempt to solve M1

$$\frac{u_1}{1 - \left(\frac{u_1 - 4}{u_1}\right)} = 9$$

$$\frac{u_1}{\left(\frac{4}{u_1}\right)} = 9$$

$$(u_1)^2 = 36$$

$$u_1 = \pm 6$$
attempting to solve both possible sequences
$$6, 2, \dots \text{ or } -6, -10 \dots$$

$$r = \frac{1}{3} \text{ or } r = \frac{5}{3}$$
only $r = \frac{1}{3}$ is possible as the sum to infinity exists
$$u_3 = 6 \times \left(\frac{1}{3}\right)^2 = \frac{2}{3} \quad \text{A1}$$
[5 marks]

R1

13. [Maximum mark: 19]

Eddie decides to construct a path across his rectangular grass lawn using pairs of tiles.

Each tile is 10 cm wide and 20 cm long. The following diagrams show the path after Eddie has laid one pair and three pairs of tiles. This pattern continues until Eddie reaches the other side of his lawn. When n pairs of tiles are laid, the path has a width of w_n centimetres and a length l_n centimetres.

The following diagrams show this pattern for one pair of tiles and for three pairs of tiles, where the white space around each diagram represents Eddie's lawn.



The following table shows the values of w_n and l_n for the first three values of n.

Number of pairs of tiles, <i>n</i>	Width of lawn crossed by path, <i>w_n</i> (cm)	Length of lawn crossed by path, l_n (cm)
1	20	30
2	а	Ь
3	40	50

Find the value of

(a.i) *a*.

Markscheme	
30 A1	
[1 mark]	

(a.ii) *b*.

[1]

Markscheme	
40 A1	
[1 mark]	

Write down an expression in terms of \boldsymbol{n} for

(b.i) w_n .

[2]

Markscheme

arithmetic formula chosen (M1)

 $w_n = 20 + (n-1)10~~(=10+10n)$ A1

[2 marks]

(b.ii) l_n .

[1]

Markscheme

arithmetic formula chosen

$$l_n = 30 + (n-1)10~~(= 20 + 10n)$$
 at

[1 mark]

Eddie's lawn has a length $740\,cm$.

(c.i) Show that Eddie needs 144 tiles.

Markscheme740=30+(n-1)10 OR 740=20-10n M1n=72 A1144 tiles AG

Note: The AG line must be stated for the final A1 to be awarded.

[2 marks]

(c.ii) Find the value of w_n for this path.

[1]

Markscheme

 $w_{72}=730$ A1

[2]

(d) Find the total area of the tiles in Eddie's path. Give your answer in the form $a imes 10^k$ where $1\leq a<10$ and k is an integer.

Markscheme

(10 imes 20) imes 144 (M1) = 28800 (A1) $2.88 imes 10^4~{
m cm}^2$ A1

Note: Follow through within the question for correctly converting *their* intermediate value into standard form (but only if the pre-conversion value is seen).

[3 marks]

The tiles cost \$24.50 per square metre and are sold in packs of five tiles.

(e) Find the cost of a single pack of five tiles.

[3]

Markscheme EITHER 1 square metre = $100 \text{ cm} \times 100 \text{ cm}$ (M1) (so, 50 tiles) and hence 10 packs of tiles in a square metre (A1) (so each pack is $\frac{\$24.50}{10 \text{ packs}}$)

[3]

OR

area covered by one pack of tiles is $(0.\,2\,{
m m} imes 0.\,1\,{
m m} imes 5=)~0.\,1\,{
m m}^2$ (A1)

24.5 imes 0.1 (M1)

THEN

 $$2.45 ext{ per pack (of 5 tiles)}$ A1

[3 marks]

To allow for breakages Eddie wants to have at least 8% more tiles than he needs.

(f) Find the minimum number of packs of tiles Eddie will need to order.

[3]

Markscheme $\frac{1.08 \times 144}{5} (= 31.104) \quad (M1)(M1)$ Note: Award M1 for correct numerator, M1 for correct denominator. 32 (packs of tiles) A1 [3 marks] There is a fixed delivery cost of \$35.

(g) Find the total cost for Eddie's order.

Markscheme $35 + (32 \times 2.45)$ (M1)\$113 (113.4) A1[2 marks]

14. [Maximum mark: 13]

Scott purchases food for his dog in large bags and feeds the dog the same amount of dog food each day. The amount of dog food left in the bag at the end of each day can be modelled by an arithmetic sequence.

On a particular day, Scott opened a new bag of dog food and fed his dog. By the end of the third day there were 115.5 cups of dog food remaining in the bag and at the end of the eighth day there were 108 cups of dog food remaining in the bag.

Find the number of cups of dog food

(a.i) fed to the dog per day.

Markscheme

[3]

EITHER $115.5 = u_1 + (3-1) imes d \ (115.5 = u_1 + 2d)$ $108 = u_1 + (8-1) imes d \ (108 = u_1 + 7d) \ (M1)(A1)$

Note: Award *M1* for attempting to use the arithmetic sequence term formula, *A1* for both equations correct. Working for *M1* and *A1* can be found in parts (i) or (ii).

(d = -1.5)

 $1.5\,({\rm cups/day})~{\it A1}$

Note: Answer must be written as a positive value to award A1.

OR

$$(d=) \, rac{115.5-108}{5}$$
 (M1)(A1)

Note: Award *M1* for attempting a calculation using the difference between term 3 and term 8; *A1* for a correct substitution.

$$(d=) \ 1.5$$
 (cups/day) A1

[3 marks]

(a.ii) remaining in the bag at the end of the first day.

[1]



(b) Calculate the number of days that Scott can feed his dog with one bag of food.

[2]

Markscheme

attempting to substitute their values into the term formula for arithmetic sequence equated to zero (M1)

$$0 = 118.5 + (n - 1) \times (-1.5)$$

$$(n=)\ 80$$
 days A1

Note: Follow through from part (a) only if their answer is positive.

In 2021, Scott spent 625 on dog food. Scott expects that the amount he spends on dog food will increase at an annual rate of 6.4%.

(c) Determine the amount that Scott expects to spend on dog food in 2025. Round your answer to the nearest dollar.

[3]

Markscheme
$$(t_5 =) 625 \times 1.064^{(5-1)}$$
 (M1)(A1)Note: Award M1 for attempting to use the geometric sequence term
formula; A1 for a correct substitution\$801 A1Note: The answer must be rounded to a whole number to award the final
A1.[3 marks]

(d.i) Calculate the value of
$$\sum\limits_{n=1}^{10} \Bigl(625 imes 1.064^{(n-1)}\Bigr).$$
 [1]

Markscheme

 $(S_{10}=)$ (\$) 8390 (8394.39...) A1

(d.ii) Describe what the value in part (d)(i) represents in this context.

[2]

Markscheme

EITHER

```
the total cost (of dog food) R1
```

for 10 years beginning in 2021 **OR** 10 years before 2031 **R1**

OR

```
the total cost (of dog food) R1
```

from 2021 to 2030 (inclusive) $\,$ OR from 2021 to (the start of) 2031 $_{\it R1}$

[2 marks]

(e) Comment on the appropriateness of modelling this scenario with a geometric sequence.

[1]

Markscheme

EITHER

According to the model, the cost of dog food per year will eventually be too high to keep a dog.

OR

The model does not necessarily consider changes in inflation rate.

OR

The model is appropriate as long as inflation increases at a similar rate.

OR

The model does not account for changes in the amount of food the dog eats as it ages/becomes ill/stops growing.

OR

The model is appropriate since dog food bags can only be bought in discrete quantities. **R1**

Note: Accept reasonable answers commenting on the appropriateness of the model for the specific scenario. There should be a reference to the given context. A reference to the geometric model must be clear: either "model" is mentioned specifically, or other mathematical terms such as "increasing" or "discrete quantities" are seen. Do not accept a contextual argument in isolation, e.g. "The dog will eventually die".

[1 mark]

15. [Maximum mark: 5]

21N.1.AHL.TZ0.6

An infinite geometric sequence, with terms u_n , is such that $u_1=2$ and

$${\displaystyle \sum\limits_{k=1}^{\infty}}u_{k}=10.$$

Markscheme $10 = \frac{2}{1-r}$ (M1) r = 0.8 A1 [2 marks]

(b) Find the least value of n such that $u_n < rac{1}{2}$.

[3]

[2]

Markscheme $2 \times (0.8)^{n-1} < 0.5 \text{ OR } 2 \times (0.8)^{n-1} = 0.5$ (M1) (n >) 7.212... (A1) n = 8 A1 Note: If n = 7 is seen, with or without seeing the value 7.212... then award M1A1A0. [3 marks]

16. [Maximum mark: 16]

The admissions team at a new university are trying to predict the number of student applications they will receive each year.

Let n be the number of years that the university has been open. The admissions team collect the following data for the first two years.

Year, n	Number of applications received in year n	
1	12300	
2	12 669	

(a) Calculate the percentage increase in applications from the first year to the second year.

[2]

Markscheme
$rac{12669-12300}{12300} imes 100$ (M1)
3% A1
[2 marks]

It is assumed that the number of students that apply to the university each year will follow a geometric sequence, u_n .

(b.i) Write down the common ratio of the sequence.

[1]

Markscheme	
1.03	A1
Note: Fol	llow through from part (a).

[1 mark]

(b.ii) Find an expression for u_n .

Markscheme
$$(u_n=)\ 12\,300 imes 1.\ 03^{n-1}$$
 A1 [1 mark]

(b.iii) Find the number of student applications the university expects to receive when n=11. Express your answer to the nearest integer.

[2]



In the first year there were $10\,380$ places at the university available for applicants. The admissions team announce that the number of places available will increase by 600 every year.

Let v_n represent the number of places available at the university in year n.

[1]

(c) Write down an expression for v_n .



For the first 10 years that the university is open, all places are filled. Students who receive a place each pay an \$80 acceptance fee.

(d) Calculate the total amount of acceptance fees paid to the university in the first 10 years.

Markscheme $80 \times \frac{10}{2} (2(10380) + 9(600))$ (M1)(M1) Note: Award (M1) for multiplying by 80 and (M1) for substitution into sum of arithmetic sequence formula. \$10500000 (\$10464000) A1 [3 marks] [3]

When n = k, the number of places available will, for the first time, exceed the number of students applying.

(e) Find k.

[3]

Markscheme

 $12\,300 imes 1.\,03^{n-1} < 10\,380 + 600(n-1)$ or equivalent (M1)

Note: Award *(M1)* for equating their expressions from parts (b) and (c).

EITHER

graph showing $y=12\,300 imes 1.\,03^{n-1}$ and $y=10\,380+600(n-1)$ (M1)

OR

graph showing $y = 12\,300 imes 1.\,03^{n-1} - (10\,380 + 600(n-1))$ (M1)

OR

list of values including, $(u_{n=})~17537\,$ and $(v_{n=})~17580$ (M1)

OR

12.4953... from graphical method or solving numerical equality *(M1)*

Note: Award (M1) for a valid attempt to solve.

THEN

$$(k=)13$$
 A1

[3 marks]

(f) State whether, for all n > k, the university will have places available for all applicants. Justify your answer.

Markscheme
this will not guarantee enough places. A1
EITHER
A written statement that $u_n > v_n$, with range of n . R1
Example: "when $n=24$ (or greater), the number of applications will exceed the number of places again" (" $u_n>v_n,\;n\geq 24$ ").
OR
exponential growth will always exceed linear growth R1
Note: Accept an equivalent sketch. Do not award A1R0 .

[2 marks]

17. [Maximum mark: 8]

Calculate how far

(a.i) Charlie ran on day 20 of his fitness programme.

[2]

21M.1.SL.TZ1.8

attempt to find u_{20} using an arithmetic sequence $$ (M1)
e.g. $u_1=500$ and $d=100$ OR $u_{20}=500+1900$ OR $500,600,700,\ldots$
(Charlie ran) $2400\mathrm{m}$ A1
[2 marke]

(a.ii) Daniella ran on day 20 of her fitness programme.

[3]

Markscheme

(r =) 1.02 (A1)

attempt to find u_{20} using a geometric sequence (M1)

e.g. $u_1=500$ and a value for r OR $500 imes r^{19}$ OR $500,\ 510,\ 520.\,2,\ \dots$

(Daniella ran) $728 \,\mathrm{m}$ (728. $405 \ldots$) A1

(b) On day *n* of the fitness programmes Daniella runs more than Charlie for the first time.

Find the value of *n*.

[3]

Markscheme

 $500 imes 1.02^{n-1} > 500 + (n-1) imes 100$ (M1)

attempt to solve inequality (M1)

n > 184.215...

n=185 A1

[3 marks]

18. [Maximum mark: 6]

A meteorologist models the height of a hot air balloon launched from the ground. The model assumes the balloon travels vertically upwards and travels 450 metres in the first minute.

Due to the decrease in temperature as the balloon rises, the balloon will continually slow down. The model suggests that each minute the balloon will travel only 82% of the distance travelled in the previous minute.

(a) Find how high the balloon will travel in the first 10 minutes after it is launched.

Markscheme recognition of geometric sequence *eg* r = 0.82 *(M1)* $S_{10} = \frac{450(1-0.82^{10})}{1-0.82}$ *(A1)* $= 2160 \,\mathrm{m} \, (2156.37 \dots)$ *A1*

[3 marks]

(b) The balloon is required to reach a height of at least $2520\,$ metres.

Determine whether it will reach this height.

[2]

Markscheme $S_\infty = rac{450}{1-0.82}$ (M1) = 2500 < 2520 so the balloon will not reach the required height. A1

[3]

[2 marks]

(c) Suggest a limitation of the given model.

Markscheme

horizontal motion not taken into account,

rate of cooling will not likely be linear,

balloon is considered a point mass / size of balloon not considered,

effects of wind/weather unlikely to be consistent,

a discrete model has been used, whereas a continuous one may offer greater accuracy **R1**

Note: Accept any other sensible answer.

[1 mark]

19. [Maximum mark: 16]

A new concert hall was built with $14~{\rm seats}$ in the first row. Each subsequent row of the hall has two more seats than the previous row. The hall has a total of $20~{\rm rows}.$

Find:

(a.i) the number of seats in the last row.

[3]



(a.ii) the total number of seats in the concert hall.

[2]

Markschemeuse of arithmetic series formula (M1) $\frac{14+52}{2} \times 20$ 660A1[2 marks]

The concert hall opened in 2019. The average number of visitors per concert during that year was 584. In 2020, the average number of visitors per concert increased by $1.\,2\%.$

(b) Find the average number of visitors per concert in 2020.

[2]

Markscheme
$584 + (584 imes 0.012)$ or $584 imes (1.012)^1$ (M1)
591 (591.008) A1
Note: Award <i>M0A0</i> if incorrect r used in part (b), and <i>FT</i> with their r in parts (c) and (d).
[2 marks]

The concert organizers use this data to model future numbers of visitors. It is assumed that the average number of visitors per concert will continue to increase each year by 1.2%.

(c) Determine the first year in which this model predicts the average number of visitors per concert will exceed the total seating capacity of the concert hall.

[5]

Markscheme
recognition of geometric sequence (M1)
equating their n th geometric sequence term to their 660 (M1)
Note: Accept inequality.

METHOD 1

EITHER

$$600 = 584 \times (1.012)^{x-1}$$
 A1
 $(x - 1 =) 10.3 (10.2559...)$
 $x = 11.3 (11.2559...)$ A1
2030 A1

OR

 $600 = 584 imes (1.012)^x$ A1 $x = 10.3 \ (10.2559\ldots)$ A12030 A1

METHOD 2

 $11^{\text{th}} \text{ term } 658 \ (657.987...)$ (M1)A1 $12^{\text{th}} \text{ term } 666 \ (666.883...)$ (M1)A12030A1

Note: The last mark can be awarded if both their 11th and 12th correct terms are seen.

[5 marks]

(d) It is assumed that the concert hall will host $50\ {\rm concerts}\ {\rm each}\ {\rm year}.$

Use the average number of visitors per concert per year to predict the **total** number of people expected to attend the concert hall from when it opens until the end of 2025.

[4]

Markscheme 7 seen (A1) EITHER $584\left(\frac{1.012^{7}-1}{1.012-1}\right)$ (M1) multiplying their sum by 50 (M1) OR sum of the number of visitors for their r and their seven years (M1) multiplying their sum by 50 (M1) OR

$$29200\left(rac{1.012^7-1}{1.012-1}
ight)$$
 (M1)(M1)

THEN

212000 (211907.3...) A1

Note: Follow though from their r from part (b).

© International Baccalaureate Organization, 2024