

Name:

Result:

1. (8 points)

Jean-Pierre jumps out of an airplane that is flying at constant altitude. Before opening his parachute, he goes through a period of freefall. Jean-Pierre's vertical speed during the time of freefall, S , in $\frac{m}{s}$, is modelled by the following function.

$$S(t) = K - 60(1.2)^{-t}, \quad t \geq 0$$

where t , is the number of seconds after he jumps out of the airplane, and K is a constant.

Jean-Pierre's initial vertical speed is $0 \frac{m}{s}$.

- (a) Find the value of K .
- (b) State the equation of the asymptote of the graph of $S(t)$ and state what this asymptote represents in the context of the model.
- (c) Find Jean-Pierre's vertical speed after 10 seconds.
- (d) Calculate how long will it take for Jean-Pierre to reach vertical speed of $30 \frac{m}{s}$.

2. (7 points)

The temperature of a cup of tea, t minutes after it is poured, can be modelled by:

$$T(t) = 21 + 75e^{-0.08t}, \quad t \geq 0$$

The temperature is measured in degrees Celsius.

- (a) Find the initial temperature of the tea.
- (b) Find the temperature of the tea 3 minutes after it is poured.
- (c) After k minutes, the tea will be below 67°C and cool enough to drink. Find the least possible value of k , where $k \in \mathbb{Z}$.
- (d) As the tea cools, T approaches the temperature of the room, which is constant. Find the temperature of the room.

3.*(5 points)*

The current population of a town is approximately 15000.

(a) Create a model for the population (P) of this town after t years, if it is assumed that the population will increase by 9% each year. Use this model to estimate the population of the town in 2030.

(b) Create an alternative model for the population (P) of this town after t years, if it is assumed that the population will increase **continuously** at a rate of 9% per year. Use this model to estimate the population of the town in 2030.